







LOC		DIST		REVISIONS					
FX		00		P	LYR	DESCRIPTION	DATE	DWN	APVD
				S10		REVISED PER ECO-09-009758	23APR2009	DLD	DCM
				S11		REVISED PER ECO-09-028550	29DEC2009	DLD	DCM



SCALE 1:1



- △ MATERIAL:
- HARNESS - 35% GLASS FILLED PA66, BLACK
  - ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
  - SPACER - 40% GLASS FILLED PPS+PA66, RED
  - ALT MAT'L: 30% GLASS FILLED sPS, RED
  - ALT MAT'L: 35% GLASS FILLED PA66, RED
  - COVER - 35% GLASS FILLED PA66, BLACK
  - ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
  - CAM LEVER - 35% GLASS FILLED NYLON, GRAY
  - GROMMET - SILICONE, BROWN
  - PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.
- △ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.
- △ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS. BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER  
IN LOADED POSITION WITH  
OPTIONAL WIRESHIELD

SEE PINOUT CHARTS		PART NUMBER	
R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
D. STRAUSSER 01AUG2003		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
D. STRAUSSER 01AUG2003		SIZE 00779	
PRODUCT SPEC		DRAWING NO C=1438082	
APPLICATION SPEC		RESTRICTED TO	
WEIGHT		SCALE 4:1	
CUSTOMER DRAWING		SHEET 1 OF 5	







LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

45	44	43	42	41		38										27												7	5				7-1438735-7	2LIT-14A464-TD-086											
	44		42			38										27												7	5				7-1438735-6	2LIT-14A464-TD-085											
45	44	43	42	41		38																					7	5	4				7-1438735-5	2LIT-14A464-TD-084											
	44		42			38																					7	5	4				7-1438735-4	2LIT-14A464-TD-083											
	44	43	42	41		38																					7	5	4				7-1438735-3	2LIT-14A464-TD-082											
	44		42			38										27											7	5	4				7-1438735-2	2LIT-14A464-TD-081											
	44		42			38																					7	5	4				7-1438735-1	2LIT-14A464-TD-080											
		43	42														26											7	6	4	3			7-1438735-0	2LIT-14A464-TD-079										
																	26											7	6		3			6-1438735-9	2LIT-14A464-TD-078										
	44	43	42														26										7	6	4				6-1438735-8	2LIT-14A464-TD-077											
45	44	43	42	41		38																					7	5					6-1438735-6	2LIT-14A464-TD-076											
	44		42			38																					7	5					6-1438735-5	2LIT-14A464-TD-075											
	44	43	42	41		38																					7	5					6-1438735-4	2LIT-14A464-TD-074											
	44					38										27										8	6						6-1438735-0	2LIT-14A464-TD-073											
	44					38										27										8	7	6					5-1438735-9	2LIT-14A464-TD-072											
	44																26											6					5-1438735-8	2LIT-14A464-TD-071											
	44																26										7	6					5-1438735-7	2LIT-14A464-TD-070											
	44					38										27	26											6					5-1438735-6	2LIT-14A464-TD-069											
	44					38										27	26										7	6					5-1438735-5	2LIT-14A464-TD-068											
	44																26										7	6					5-1438735-4	2LIT-14A464-TD-067											
	44																26											6					5-1438735-3	2LIT-14A464-TD-066											
		43	42														26										7	6	4				5-1438735-2	2LIT-14A464-TD-065											
																	26										7	6					5-1438735-1	2LIT-14A464-TD-064											
	44	42				38										27											7	5					4-1438735-6	2LIT-14A464-TD-063											
	44	42				38																					7	5					4-1438735-5	2LIT-14A464-TD-062											
	44	42				38										27	26									8	6						4-1438735-4	2LIT-14A464-TD-061											
	44	42				38										27	26									8	7	6					4-1438735-3	2LIT-14A464-TD-060											
	44																26										8	7	6				4-1438735-2	2LIT-14A464-TD-059											
	44																26										8	6					4-1438735-1	2LIT-14A464-TD-058											
		43	42														26										8	7	6	5			4-1438735-0	2LIT-14A464-TD-057											
																	26										8	7	6				3-1438735-9	2LIT-14A464-TD-056											
46	45	44	43								34	33	32	31			27	25					16	14	13	12	10	9	8	7	6		1	3-1438735-4	2LIT-14A464-TD-055										
46	45		43									34	33	32	31			27	25				16	14	13	12	10	9	8	7	6		1	2-1438735-7	2LIT-14A464-TD-054										
46	45	44	43	42	40						35	34	33	32	31		28				24		21				12		9			5	4	1	2-1438735-3	2LIT-14A464-TD-053									
	45	44	43	42	40								33	32	31		28						21					9			5	4		2-1438735-2	2LIT-14A464-TD-052										
		44	42			38											27	26					22						7	5				1438735-7	2LIT-14A464-TD-051										
					40	39	38				35	34									24		21			18			13	12		9	8	7	5	1438735-6	2LIT-14A464-TD-050								
	44	42				38											27	26					22											1438735-5	2LIT-14A464-TD-049										
	44	42				38												26					22											1438735-4	2LIT-14A464-TD-048										
	44	42				38												26										7	5					1438735-3	2LIT-14A464-TD-047										
	44	42				38												26																1438735-2	2LIT-14A464-TD-046										
	44					38										29	28	26										7				3		1438735-1	2LIT-14A464-TD-045										
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
TERMINAL HOLE POSITION																												PART NUMBER		FORD PART NUMBER															
PIN-OUT CHART KEYING OPTION "B" 																																													

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE USER OF THIS DRAWING SHALL BE RESPONSIBLE FOR THE LATEST EDITION.		DWN A. HOLT 22OCT2007		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.3 1 PLC ±0.10 5 PLC ± 4 PLC ± ANGLES ±°		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
MATERIAL SEE TABLE		FINISH SEE TABLE		RESTRICTED TO	
CUSTOMER DRAWING		WEIGHT -		SCALE 4:1	
SHEET 5		OF 5		REV S 11	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[4-1438082-7](#)