







	LEFT INDICATOR DOWN	2227225-6
	LEFT INDICATOR UP	2227225-5
	NO LIGHTPIPE	2227225-4
	LEFT INDICATOR DOWN	2227225-3
	LEFT INDICATOR UP	2227225-2
	NO LIGHTPIPE	2227225-1
CONTACT FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN 03AUG2012 M. SHIRK CHK 03AUG2012 D. SZCZESNY		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.0 1 PLC ±.025 2 PLC ±0.15 3 PLC ±.03 4 ANGLES ±.1 FINISH		NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZOSFP+ STACKED	
MATERIAL SEE NOTE 1		WEIGHT - CUSTOMER DRAWING		SIZE CAGE CODE DRAWING NO A100779C=227225	
SEE NOTE 2		SCALE 4:1 SHEET 1 OF 4 REV A		RESTRICTED TO -	


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
		-		SEE SHEET 1	-	-




2227225-1 / 2227225-4
NO LIGHTPIPE IN ASSEMBLY
SCALE 3:1




2227225-2 / 2227225-5
LEFT LIGHTPIPE INDICATOR
POINTING TO UPPER PORT
SCALE 3:1



2227225-3 / 2227225-6
LEFT LIGHTPIPE INDICATOR
POINTING TO LOWER PORT
SCALE 3:1



VIEW Y-Y




RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 3:1

0.19
BOTTOM OF CUTOUT
IN PANEL TO TOP
OF PC BOARD

6.00±0.30
DISTANCE BETWEEN BACK
OF PANEL AND FRONT OF
PC BOARD



SECTION U-U




SECTION V-V
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 03AUG2012	TE Connectivity	
DIMENSIONS: mm		CHK D. SZCZESNY 03AUG2012		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME	
0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015	CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
MATERIAL SEE NOTE 1		WEIGHT SEE NOTE 2	SIZE A100779	RESTRICTED TO -
CUSTOMER DRAWING		SCALE 4:1	SHEET 2 OF 4	REV A


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 03AUG2012	CHK D. SZCZESNY 03AUG2012	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	APPLICATION SPEC	SIZE	RESTRICTED TO
	0 PLC $\pm$ 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC $\pm$ 4 PLC $\pm$ ANGLES $\pm$ FINISH	108-60102	114-60015	A100779C=2227225	-
MATERIAL SEE NOTE 1	SEE NOTE 2	WEIGHT CUSTOMER DRAWING	SCALE 4:1	SHEET 3 OF 4	REV A



DETAIL H
SCALE 10:1



DETAIL L
SCALE 10:1



DETAIL K
SCALE 10:1

KEEP-OUT AREAS
COMPONENT SIDE OF BOARD
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWG. 03AUG2012 M.SHIRK CHKD 03AUG2012 D.SCZESNY		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ±		NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZOSFP+ STAKED	
		APVD PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015		SIZE CAGE CODE DRAWING NO A100779C2227225	
MATERIAL SEE NOTE 1		FINISH SEE NOTE 2		RESTRICTED TO CUSTOMER DRAWING SCALE 4:1 SHEET 4 OF 4 REV A	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2227225-2](#)