




see sheet 1

NOTES;

1. MATERIAL: HOUSING: L.C.P. (HIGH TEMP. THERMOPLASTIC)
UL 94V-0, NATURAL.
CONTACT: BERYLIUM COPPER.
2. FINISH: CONTACT AREA: 0.00076 MIN GOLD ON
0.0013 MIN ALL OVER NICKEL.
SOLDERING AREA: 0.002 MIN MATTE-TIN
3. POSITION SERIES: SEE TABLE. (SHEET 2)
4. CONN STACK HEIGHT COMBINE OF PLUG "Y" H VS REC "X" H.
STACK HEIGHT = Y + X - 5
5. FOR STEEL COVER PICK AND PLACE VERSION,
DESCRIPTION PRINTING ON TUBE IS:
"REC ASS'Y (H=13mm), W/ STEEL COVER,
0.8mm BTB STACKING CONN"

76.20	77.80	71.20	180	0 -	- 9
68.20	69.80	63.20	160	0 -	- 8
60.20	61.80	55.20	140	0 -	- 6
52.20	53.80	47.20	120	0 -	- 5
44.20	45.80	39.20	100	0 -	- 4
36.20	37.80	31.20	80	0 -	- 3
28.20	29.80	23.20	60	0 -	- 2
20.20	21.80	15.20	40	0-5084618-1	
C	B	A	POS.	PART No.	

RECOMMENDED P.C. BOARD LAYOUT

Ⓐ ADD CONNECTOR INFORMATION SHEET

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING
ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

100

CUSTOMER DRAWING

Tyco Electronics
(singapore) Pte.Ltd

NAME	RECEPTACLE ASS'Y 13H TYPE 30Au (0.5 BOSS LENGTH) FOR FH 0.8mm B-T-B CONN. ON TAPING
------	---

C=5084618

[illegible]

SHEET	2	OF	2	REV	1
-------	---	----	---	-----	---

	$\angle$	$\angle$	$\angle$
--	----------	----------	----------

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5084618-5](#)