

- 1. CONTACTS ARE NOT INCLUDED WITH THIS CONNECTOR.
- 2. POLARIZING KEYS ARE SHOWN IN POSTION "01" FOR ILLUSTRATION ONLY. CONNECTORS SHIPPED WITH KEYING PER ORDERING INSTRUCTIONS.
- 3. THE C4 INSERT BACKUP PLATES AND SCREWS ARE INCLUDED IN A BAG WITHIN THE CONNECTOR PACKAGE.

4 Insert material: Die Cast aluminum per ASTM-B-85. INSERT FINISH: CHROMATE PER MIL-C-5541

INSERT MATERIAL: THERMOSET PLASTIC OR POLYPHENYLENE SULFIDE PER MIL-M-24519.

6. ALL CONTACT CAVITIES IN MODULES E & F TO BE LOCATED WITHIN .006 TRUE POSITION DIA. ALL CONTACT CAVITIES IN MODULES A, B &

C TO BE LOCATED WITHIN .020 TRUE POSITION DIA. TE LOGO APPEARS IN THIS APPROXIMATE LOCATION ON MACHINED FROM BILLET SHELLS.

8. ASSEMBLY SHOWN WITH DIE CAST SHELL. ASSEMBLIES WITH MACHINED SHELLS MAY VARY SLIGHTLY IN APPEARANCE.

	445718-1
	PART NUMBER A
THIS DRAWING IS A CONTROLLED DOCUMENT. DWN 12-18-00 C.C.THOMAS	TE Connectivity

445718-8

REVISIONS

•		C.C.THUMAS	TE Connectivity						
			18-00	•		- -	COIIII	ectivity	
DIMENSIONS:	TOLERANCES UNLESS	S.GLATFELTER				_			
DIMENSIONS.	OTHERWISE SPECIFIED:		18-00	NAME					
INCHES		S.GLATFELTER			RECEP'	TACLE ASS	LSIZE	3.	
•	O PLC ± -	PRODUCT SPEC						-,	
	1 PLC ± _				FRO	NT RELEASE	<u>-</u> ,ICAS		
	2 PLC ± =	_							
	3 PLC ± .005	APPLICATION SPEC							
_	4 PLC ± -			SIZE CAGE CO	DE DRAWING NO)			RESTRICTED TO
	ANGLES ± -	_							
MATERIAL	FINISH	WEIGHT 0.00000	\	Λ 1 loo7	'9 C- 44	5718			
SEE CALLOUTS	SEE CALLOUTS	0.000000	ا ا	A 1 00 / /	J 6 4 4	-5/10			
		CUSTOMER DRAWIN	VIC.	·		SCALE	SHEET	OF	REV _
		COSTOWER DRAWII	NG.]:1:1			
						-			•

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 445718-3