

## Pitch spacer - RZ-KDS 4 - 1705058

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Pitch spacer, raises the pitch by 2.5 mm, interlocks with terminal block of the same shape, color: green



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	100 pc
GTIN	 4 017918 023249
Weight per Piece (excluding packing)	0.65 g
Custom tariff number	85389099
Country of origin	Poland

### Technical data

#### Dimensions

Width	2.5 mm
-------	--------

#### General

Range of articles	DECKEL + RZ + DP
Insulating material	PA
Flammability rating according to UL 94	V0
Number of positions	1

#### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

## Pitch spacer - RZ-KDS 4 - 1705058

### Classifications

#### eCl@ss

eCl@ss 4.0	27141109
eCl@ss 4.1	27141109
eCl@ss 5.0	27141190
eCl@ss 5.1	27141190
eCl@ss 6.0	27261101
eCl@ss 7.0	27440401
eCl@ss 8.0	27141133
eCl@ss 9.0	27141133

#### ETIM

ETIM 3.0	EC000886
ETIM 4.0	EC000886
ETIM 5.0	EC000886

#### UNSPSC

UNSPSC 6.01	30211801
UNSPSC 7.0901	39121432
UNSPSC 11	39121432
UNSPSC 12.01	39121432
UNSPSC 13.2	39121432

### Approvals

#### Approvals

---

#### Approvals

#### EAC

---

#### Ex Approvals

---

#### Approvals submitted

---

#### Approval details

EAC
-----

---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1705058](#)