








DESIGN REFERENCE		NEXT ASSEMBLY		REV		ISSUE DATE AND DESCRIPTION		DRFT		CHKD	
ADDRES CODES				DRFT L. SCHMIDT		DATE JUL 23, 2010		MFG		DATE	
				CHKD		DATE		APPRV. S. FELDMAN		DATE JUL 30, 2010	
DIVISION				DIVISION CODE							
DO NOT SCALE DRAWING				SCALE 1/1				TOLERANCES EXCEPT AS NOTED			
				INCHES							
				THIRD ANGLE PROJECTION							
INTERPRET PER ASME Y14.5 - 2009				MILLIMETERS							
MAX SURFACE ROUGHNESS 125				☐ ALL SURFACES ☒ MARKED ONLY				ANGLES ± 1°			
				3M Center St. Paul, MN 55144				© 3M COPYRIGHT 2017 This document and the information it contains are 3M property and may not be reproduced or further distributed without 3M permission, or used or released other than for 3M authorized purposes. All rights reserved.			
TITLE				3M RIBBON CABLE SOCKET 2 MM x 2 MM PITCH 158 SERIES							
CAGE NUMBER				SIZE DRAWING NO.				REV.			
D				78-5100-2358-9				G			
MODEL				DET.				☐ TESTS ☐ FLIES ☐ NO			
				SHT 1 OF							

G	73037	OCT 27, 2017	SBC	SAN
UPDATED PERFORMANCE TABLE REMOVED REV D,E,F HISTORY				
A	30741	OCT 28, 2010	LDS	SF
INITIAL RELEASE				
REV	ECO	ISSUE DATE AND DESCRIPTION	DRFT	CHKD
DRFT	L SCHMIDT		DATE	DATE
CHKD	JUL 23, 2010		APPROV	DATE
		S. FELDMAN	JUL 30, 2010	
 3M Center St. Paul, MN 55144		© 2010 COPYRIGHT 2017 This document and information it contains are 3M property and may not be reproduced or further distributed without the written permission, or used or disclosed other than for 3M authorized purposes. All rights reserved.		
TITLE				
3M RIBBON CABLE SOCKET 2 MM × 2 MM PITCH 158 SERIES				
CAGE NUMBER	SIZE	DRAWING NO.	REV.	
	78-5100	2358-9	G	
MODEL	DET		SHT 1 OF	
	LISTS DYES NO			



R



1



1



C

6 DIVISION

78-5100-2
DRAWING NUMBER


Offset




†

DESIGN REFERENCE		NEXT ASSEMBLY		REV	ECO	ISSUE DATE AND DESCRIPTION		DRFT	CHKD
ASSEMBLY CODES				DRFT	L. SCHMIDT		DATE JUL 23, 2010	WFG	DATE
				CHKD			DATE	APPROV S. FELDMAN	DATE JUL 30, 2010
DIVISION		DIVISION CODE		© 3M COPYRIGHT 2017 3M 3M Center St. Paul, MN 55144 This document and the information it contains are 3M property and may not be reproduced or further distributed without 3M permission, or used or disclosed other than for 3M authorized purposes. All rights reserved.					
DO NOT SCALE DRAWING		SCALE 6 1		TOLERANCES EXCEPT AS NOTED		TITLE			
THIRD ANGLE PROJECTION		INCHES		MILLIMETERS		3M RIBBON CABLE SOCKET 2 MM x 2 MM PITCH 158 SERIES			
INTERPRET PER ASME Y14.5 - 2009		ANGLES ± .005		MAX SURFACE ROUGHNESS 125 ✓ ALL SURFACES ✓ MARKED ONLY		CAGE NUMBER D 78-5100-2358-9		REV. G	
				MODEL		DET. LISTS		YES YES NO NO	
								SHT 2 OF 3	

3M™ Ribbon Cable Socket 2 mm X 2 mm Pitch 158 Series



POLARIZING KEY
3435-152200



POLARIZING KEY ORIENTATION AND INSTALLATION

RIBBON CABLE SOCKET ACCESSORIES

METRIC [ENGLISH]

G		73037		OCT 27, 2017		SBC		SAN					
				UPDATED PERFORMANCE TABLE									
				REMOVED REV D,E,F HISTORY									
A		30741		OCT 28, 2010		LDS		SF					
				INITIAL RELEASE									
DESIGN REFERENCE		NEXT ASSEMBLY		REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT	CHKD		
ACCESS CODES				DRFT		L. SCHMIDT		DATE		JUL 23, 2010	MFG	DATE	
				CHKD				DATE			APPR	DATE	
								S. FELDMAN		JUL 30, 2010			
DIVISION		DIVISION CODE		© 3M COPYRIGHT 2017									
DO NOT SCALE DRAWING		SCALE 1/1		TOLERANCES EXCEPT AS NOTED		3M Center St. Paul, MN 55144							
THIRD ANGLE PROJECTION		INCHES		MILLIMETERS		3M RIBBON CABLE SOCKET 2 MM x 2 MM PITCH 158 SERIES							
		MILLIMETERS		INCHES									
INTERPRET PER ASME Y14.5 - 2009		MAX SURFACE ROUGHNESS		125		ALL SURFACES		CAGE NUMBER		DRAWING NO.		REV.	
								D		78-5100-2358-9		G	
								MODEL		DET. LISTS		YES X NO	SHT 3 OF 3

3M™ Ribbon Cable Socket 2 mm X 2 mm Pitch 158 Series

Technical Information: The technical information, recommendations and other statements contained in this document are based upon tests or experience that 3M believes are reliable, but the accuracy or completeness of such information is not guaranteed.

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty, Limited Remedy, and Disclaimer: Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

3M ELECTRONICS MATERIALS SOLUTIONS DIVISION
INTERCONNECT SOLUTIONS
<http://www.3m.com/Interconnect>

3M IS A TRADEMARK OF 3M COMPANY.
FOR TECHNICAL, SALES OR ORDERING
INFORMATION CALL 800-225-5373

DESIGN REFERENCE		NEXT ASSEMBLY		REV	ECO	ISSUE DATE AND DESCRIPTION		DRFT	CHKD
XREF CODES		XREF CODES		DWT		DATE		MFG	
				L. SCHMIDT		JUL 23, 2010		DATE	
				CHKD		DATE		APPRV	
						S. FELDMAN		JUL 30, 2010	
DIVISION		DIVISION CODE		© 3M COPYR[IGHT] 2017					
DO NOT SCALE DRAWING		SCALE 1/1		TOLERANCES EXCEPT AS NOTED		3M Center St. Paul, MN 55144 This document and the information it contains are 3M property and may not be reproduced or further distributed without 3M permission, or used or disclosed other than for 3M authorized purposes. All rights reserved.			
THIRD ANGLE PROJECTION		INCHES		TITLE					
INTERPRET PER ASME Y14.5 - 2009		MILLIMETERS		3M RIBBON CABLE SOCKET 2 MM x 2 MM PITCH 158 SERIES					
MAX SURFACE ROUGHNESS 125/		ALL SURFACES		CAGE NUMBER		SIZE		DRAWING NO.	
✓		X MARKED ONLY		D		78-5100-2358-9		REV. G	
		ANGLES ±1°		MODEL		DET		SHT 3 OF 3	
						LISTS		YES X NO	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

3M:

[3448-15814](#) [3448-15822](#) [3448-15806](#) [3448-15830](#) [3448-15812](#) [3448-15816](#) [3448-15840](#) [3448-15844](#) [3448-15824](#)