






Technical drawing of the front view of the 1000 Series Cam Lock. The drawing shows a rectangular lock body with a cam lever on the right side. A dashed circle indicates a minimum diameter of 56 mm. A vertical dimension line on the left indicates a height of 43.2 mm. A horizontal dimension line at the top indicates a cam lever swing area of R(28.2). A small triangle with the number 6 is located at the bottom right corner.

KEYING OPTIONS
SCALE 2:1




The image contains two technical drawings of a mechanical device, likely a lock or latch, showing internal components and wiring. The drawings are labeled "KEYING OPTIONS" and "SCALE 2:1". The left drawing shows a top-down view of the device, which has a central rectangular component with a handle. The right drawing shows a side view of the device, highlighting the handle and the locking mechanism. Both drawings include dimension lines and labels, such as "0.000-0.000" and "0.000-0.000", indicating specific measurements and components.


OPTION "H"



OPTION "K"




OPTION "M"



SCALE 1:1

Technical drawing of a 100-pin D-sub connector. The drawing shows the front view (top) and the rear view (bottom). The front view shows the latch mechanism and the connector housing. The rear view shows the 100-pin array, organized into two rows of 50 pins each. The pins are arranged in a D-sub configuration, with a central row of 10 pins and two side rows of 20 pins each.

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IF IT IS SUBMITTED TO ANY OTHER ORGANIZATION, THE ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DATE 14NOV2006 BY A HOLT CHK W WELLINSKY 4NOV2006 APP W WELLINSKY 4NOV2006		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.01 1 PLC ±.03 2 PLC ±.04, ID 3 PLC ±.05 4 PLC ±.06 ANGLES ±.3°		NAME 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
MATERIAL SEE CHART 2 FINISH -		WEIGHT SEE NOTE 5 A		SIZE CAGE CODE DRAWING NO. RESTRICTED TO A 00779 C=1924170 -	
CUSTOMER DRAWING				SCALE 3:1 SHEET 1 OF 5 REV F	

[illegible]

(1) THIS DRAWING IS THE PROPERTY OF THE COMPANY AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM THE COMPANY. (2) THE COMPANY ASSUMES NO LIABILITY FOR DAMAGES OF ANY KIND, INCLUDING CONSEQUENTIAL DAMAGES, ARISING OUT OF THE USE OF THIS DRAWING.		DWG. 14NOV2006 A_HOLT		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
		0 PLC ±.03 2 PLC ±.03 2 PLC ±.03 4 PLC ±.03 ANGLES ±.1°		PRODUCT SPEC - APPLICATION SPEC -	
MATERIAL SEE CHART ON SHEET 2		FINISH -		SIZE CASE CODE DRAWING NO 100779 C-1924170	
WEIGHT -		CUSTOMER DRAWING -		RESTRICTED TO -	
SCALE 3:1		SHEET 2 OF 5		REV F	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12																										0-1924170-1	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14																					35	36						0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16									24						29	30				35	36						0-1924170-7	G
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																						35	36	37	38	39	40	0-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16												27	28	29	30					35	36	37	38	39	40	1-1924170-0	G	
							7	8	9	10	11	12						18																35	36	37	38	39	40	1-1924170-1	G		
1	2	3	4			7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G	
1	2					7	8	9	10	11	12									21	22													35	36	37	38	39	40	1-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22												35	36	37	38	39	40	1-1924170-4	G		
1	2	3	4			7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-5	G	
1	2					7	8	9	10	11	12						17	18		21	22												35	36	37	38	39	40	1-1924170-6	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18									27	28	29	30					35	36	37	38	39	40	1-1924170-8	G	
						7	8	9	10	11	12																														1-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30				35	36	37	38	39	40	2-1924170-0	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				21	22						27	28	29	30								39	40			2-1924170-1	G	
						7	8	9	10	11	12	13	14	15	16																						39	40			2-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			39	40			2-1924170-3	G			
1	2					7	8	9	10	11	12						17	18		21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G			
1	2					7	8	9	10	11	12						17	18		21	22	23	24										35	36	37	38	39	40	2-1924170-5	G			
						7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	2-1924170-6	G		
						7	8	9	10	11	12	13	14	15	16	17	18								26									35	36	37	38	39	40	2-1924170-7	G		
						7	8	9	10	11	12	13	14	15	16	17	18																			39	40			2-1924170-8	G		
			3	4		7	8	9	10	11	12	13	14	15	16												27	28	29	30		32					37	38	39	40	2-1924170-9	G	
1	2					7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30			32			37	38	39	40	3-1924170-0	G		
1	2					7	8	9	10	11	12	13	14	15	16				21	22							27	28	29	30					35	36	37	38	39	40	3-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16				21	22							27	28	29	30					35	36	37	38	39	40	3-1924170-2	G	
1	2					7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-3	G		
1	2					7	8	9	10	11	12								21	22							27	28	29	30					35	36	37	38	39	40	3-1924170-4	G	
1	2					7	8	9	10	11	12	13	14	15	16				21	22														35	36	37	38	39	40	3-1924170-5	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-6	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16				21	22			24										35	36	37	38	39	40	3-1924170-7	G			
1	2					7	8	9	10	11	12								21	22			24										35	36	37	38	39	40	3-1924170-8	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G	
					5	6	7	8	9	10	11	12	13	14	15	16			19	20							27	28	29	30							37	38	39	40	4-1924170-0	G	
1	2				5	6	7	8	9	10	11	12	13	14	15	16			19	20							27	28	29	30													

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																						ASSEMBLY PART NUMBER	KEYING OPTION				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30					35	36	37	37	39	40	6-1924170-6	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26								35	36	37	37	39	40	6-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24			27	28	29	30					35	36	37	37	39	40	6-1924170-8	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24											35	36	37	37	39	40	6-1924170-9	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30						37	38	39	40	7-1924170-0	G		
				5	6	7	8	9	10	11	12	13	14	15	16								24				27	28	29	30					35	36	37	38	39	40	7-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	7-1924170-3	G	
											11	12											24																			7-1924170-4	G
1	2										11	12	13	14	15	16						24																				7-1924170-5	G
											11	12																				32					37	38	39	40	7-1924170-6	G	
											11	12							19	20			24																		7-1924170-7	G	
											11	12							19	20													33	34							7-1924170-8	G	
						7	8	9	10	11	12								19	20			24																		7-1924170-9	G	
						7	8	9	10	11	12								19	20													33	34							8-1924170-0	G	
						7	8	9	10	11	12																				31	32				37	38	39	40	8-1924170-1	G		
							9	10	11	12							17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	8-1924170-2	G	
				5	6	7	8	9	10	11	12	13	14	15	16																					37	38					8-1924170-3	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20																37	38	39	40	8-1924170-4	G		
						7	8	9	10	11	12	13	14	15	16			19	20																	37	38	39	40	8-1924170-5	G		
1	2					7	8	9	10	11	12	13	14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G		
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38			8-1924170-7	G	
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32				35	36	37	38			9-1924170-0	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38			9-1924170-1	G	
		3	4	5	6					11	12												24												35	36	37	38	39	40	9-1924170-2	G	
						7	8	9	10	11	12												24												35	36	37	38			9-1924170-3	G	
										11	12												24												35	36	37	38	39	40	9-1924170-4	G	
		3	4	5	6					11	12								19	20																		39	40	9-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G		
						7	8	9	10	11	12	13	14	15	16			19	20				24										33	34			37	38	39	40	9-1924170-7	G	
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24												37	38	39	40	9-1924170-8	G			
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24												37	38	39	40	9-1924170-9	G			
						7	8	9	10	11	12	13	14	15	16			19	20				24												37	38	39	40	0-1924171-1	G			
										11	12							19	20																						0-1924171-2	G	
		3	4	5	6	7	8	9	10	11	12							19	20				24														39	40	0-1924171-3	G			
						7	8	9	10	11	12																						33	34							0-1924171-4	G	
										11	12																													0-1924171-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	0-1924171-6	G		
						7	8	9	10	11	12												24												35	36					0-1924171-7	G	
										11	12	13	14	15	16								24																		0-1924171-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13																															

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[4-1924170-5](#)