

NOTES:

TAPE AND REEL SPECIFICATIONS:

1. TAPE:

MAT'L - ALL CONDUCTIVE POLYSTYRENE CARRIER

ANSI/EIA-481 STANDARD

.945 [24.0] WIDE; .630 [16.0] PITCH

2. REEL:

15.0 [381.0] DIA. 1000 PIECES OF

PART NO. 982 PER REEL.

KEYSTONE ELECTRONICS CORP.

ASTORIA, N.Y. 11105-2017

PART NAME

2.5mm SM MONO JACK ON TAPE

MATERIAL

AS NOTED

FINISH

AS NOTED

DRN BY

BOONE

DATE

2.28.00

APP'D

LN

SCALE

X

10.17.06

CHANGE AS PER ECN 06-066

A

TOLERANCES

INCH [MM]

CODE

DWG NO.

DECIMAL $\pm .015$ [± 0.38]

ANGULAR $\pm 1^\circ$

UNLESS OTHERWISE SPECIFIED

C/M


982TR

DATE

DESCRIPTION


REV.

ACTUAL SIZE






PAD LAYOUT

(TOP VIEW)



MONO SCHEMATIC



NOTES:

1. MAT'L:

HOUSING: MAT'L- LCP, UL 94V-0

GROUND TERMINAL: .012 [0.3] TH'K BRASS ①

SPRING CONTACT: .008 [0.2] TH'K PHOSPHOR BRONZE ⑤

SHUNT TERMINAL: .012 [0.3] TH'K BRASS ④

2. TAPE SPECIFICATIONS:

MAT'L - ALL CONDUCTIVE POLYSTYRENE CARRIER

ANSI/EIA-481 STANDARD

24MM (.945) WIDE; 16MM (.630) PITCH

3. REEL SPECIFICATION:

15 INCH DIA. 1000 PIECES

5.20.13 HOUSING WAS POLYAMIDE
CHANGE AS PER ECR 13-041

A

REV.

KEYSTONE ELECTRONICS CORP.			
www.keyelco.com • ASTORIA, N.Y. 11105-2017 • Tel (718) 956-8900			
PART NAME			
2.5mm SURFACE MOUNT MONO JACK			
MATERIAL			
AS NOTED			
FINISH		DRN BY	DATE
GOLD FLASH		BOONE	7.20.98
		APP'D	SCALE
		LN	3X
TOLERANCES	INCH	CODE	DWG NO.
DECIMAL	± .005 [± 0.13]	C	
ANGULAR	± 1°		
UNLESS OTHERWISE SPECIFIED			

982

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Keystone Electronics:](#)

[982TR](#)