








LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
DW	—		O1	ADD PN 1-X & 2-X ECR-06-016479	07JUL06	JL	WK
			A	RESIN UPDATED ECR-07-008281	10APR07	JL	WK
			A1	REVISED PER ECO-10-000444	18JAN10	KK	HMR

- NOTES:
1. MATERIAL:
HOUSING: THERMOPLASTIC(NY 66), COLOR: SEE TABLE.
CONTACT: BRASS
2. FINISH:
CONTACT: GOLD FLASH ALL OVER
NICKEL 1.27um[50u"] MIN. UNDERPLATED OVERALL.
3. SPECIFICATIONS:
CURRENT RATING: 1AMP DC MAX.
CONTACT RESISTANCE: 20 MILLIOHMS MAX AT DC 1A.
INSULATOR RESISTANCE: 1000 MEGAOHMS MIN, AT 500V DC.
DIELECTRIC WITHSTANDING: AC 500V FOR 1 MINUTE.
4. MECHANICAL:
OPERATING TEMPERATURE: -55°C TO +105°C.
5. APPLICATION:
BOX HEADER BODY HELPS MAXIMUM PACKAGING DENSITY.
AVAILABLE WITH WRAP POST TAIL HEADER.
AVAILABLE IN STRAIGHT OR RIGHT ANGLE PIN.
6. WAVE SOLDER CAPABLE TO 265°C
PER TYCO SPEC. 109-202, CONDITION B.

7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

3.10	48.26	56.20	58.40	#20	BLUE	40	2-1734162-2
	48.26	56.20	58.40	#20	BLACK	40	2-1734162-1
	15.24	23.18	25.40		BLACK	14	1-1734162-5
	48.26	56.20	58.40		BLUE	40	1-1734162-4
	48.26	56.20	58.40		BLACK	40	1-1734162-3
	40.64	48.58	50.80		BLACK	34	1-1734162-2
	10.16	18.10	20.32		BLACK	10	1-1734162-1
2.40	48.26	56.20	58.40	#20	BLACK	40	1734162-5
2.80	48.26	56.20	58.40	#20	BLUE	40	1734162-4
	40.64	48.58	50.80	#5	BLUE	34	1734162-3
	48.26	56.20	58.40	#20	BLACK	40	1734162-2
	40.64	48.58	50.80	#5	BLACK	34	1734162-1
DIM D	DIM C	DIM B	DIM A	LACK PIN#	HSG. COLOR	POS.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. LEE 10APR2007		tyco Electronics Tyco Holdings (Bermuda) VII Ltd. Taiwan Branch					
		CHK S. HOU 10APR2007							
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± 0.5 2 PLC ± 0.3 3 PLC ± 0.1 4 PLC ± - ANGLES ± 1°		APVD W.J. KE 10APR2007		NAME			
				PRODUCT SPEC 108-57566		BOX HEADER 2.54 PITCH V/T, DIP			
				APPLICATION SPEC 501-57655					
				WEIGHT -					
				SIZE A3					
MATERIAL -		FINISH -		CAGE CODE 00779		DRAWING NO C=1734162		RESTRICTED TO -	
CUSTOMER DRAWING				SCALE -		SHEET 1 OF 2		REV A1	



7 OBSOLETE

7 OBSOLETE

7 OBSOLETE

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DW

DIST	—
------	---

REVISIONS

	P
--	---

LTR




DESCRIPTION

DATE _____

DWN

APVD

SEE SHEET 1.



		14.85	11.55	2500	100	2-1734162-2
		14.85	11.55	2500	100	2-1734162-1
		14.00	13.00	6000	240	1-1734162-5
		14.85	11.55	2500	100	1-1734162-4
		14.85	11.55	2500	100	1-1734162-3
		14.85	11.55	3000	120	1-1734162-2
		14.00	13.00	7500	300	1-1734162-1
	OBSOLETE	14.85	11.55	2500	100	1734162-5
		14.85	11.55	2500	100	1734162-4
	OBSOLETE	14.85	11.55	3000	120	1734162-3
		14.85	11.55	2500	100	1734162-2
	OBSOLETE	14.85	11.55	3000	120	1734162-1
		G/W (kg)	N/W (kg)	QUANTITY	TRAY	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	10APR2007
-----	-----------

CHK	10APR2007
-----	-----------

S. HOU
APVD 10APR2007

W.J. KE	
PRODUCT SPEC	

PRODUCT SPREAD

APPLICATION SPEC

tyco
Electronics

Tyco Holdings (Bermuda)		
VII Ltd. Taiwan Branch		

7	NAME
---	------

BOX HEADER 2.54 PITCH
V/T, DIP

SIZE	CAGE CODE	DRAWING NO.	RESTRICTED TO
------	-----------	-------------	---------------

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A 7	00770	1334162	

734162	—
NAME	UNIT

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1734162-1](#)