

## Filler plugs - HC-BS-PG29 - 1674532

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Filler plugs, for Pg screw connections, type Pg29

The illustration shows version HC-BS-PG 21



### Key Commercial Data

|                                      |                                                                                                         |
|--------------------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit                         | 1 pc                                                                                                    |
| Minimum order quantity               | 10 pc                                                                                                   |
| GTIN                                 | <br>4 017918 135430 |
| Weight per Piece (excluding packing) | 43.58 g                                                                                                 |
| Custom tariff number                 | 85369010                                                                                                |
| Country of origin                    | Germany                                                                                                 |

### Technical data

#### Dimensions

|                                  |         |
|----------------------------------|---------|
| Length                           | 12 mm   |
| Length without connecting thread | 4 mm    |
| Connecting thread diameter       | 37.5 mm |
| Hexagon angular dimension GRP    | 39 mm   |
| Length of the connecting thread  | 8 mm    |

#### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Degree of protection            | IP68             |
|                                 | IP68             |
| Ambient temperature (operation) | -20 °C ... 80 °C |

#### General

## Filler plugs - HC-BS-PG29 - 1674532

### Technical data

#### General

|                                |                     |
|--------------------------------|---------------------|
| Material                       | Nickel-plated brass |
| Cable gland material           | Nickel-plated brass |
| O-ring material                | NBR                 |
| Thread type on connection side | Pg29                |
| Color                          | silver              |
|                                | silver              |

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27140816 |
| eCl@ss 4.1 | 27140816 |
| eCl@ss 5.0 | 27143424 |
| eCl@ss 5.1 | 27143424 |
| eCl@ss 6.0 | 27143424 |
| eCl@ss 7.0 | 27440209 |
| eCl@ss 8.0 | 23111190 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000437 |
| ETIM 3.0 | EC000437 |
| ETIM 4.0 | EC000032 |
| ETIM 5.0 | EC000723 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30212113 |
| UNSPSC 7.0901 | 39121712 |
| UNSPSC 11     | 39121712 |
| UNSPSC 12.01  | 39121712 |
| UNSPSC 13.2   | 39121712 |

### Approvals

#### Approvals

#### Approvals

#### EAC

## Filler plugs - HC-BS-PG29 - 1674532

### Approvals

Ex Approvals

---

Approvals submitted


---

### Approval details

|     |
|-----|
| EAC |
|-----|

### Drawings

Dimensional drawing



Filler plugs Pg29

---

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact:

1674532