






LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			01	REVISED PER ECO-12-007711	26APR2012	KH	MS



1776161-2 AS SHOWN

- ⚠ MATERIALS AND FINISH
HOUSING: HIGH TEMPERATURE POLYAMIDE, UL 94V-0 RATED,
COLOR: BLACK.
TERMINAL: COPPER ALLOY, TIN PLATED.
2. SUITABLE FOR 1,6-2,4mm PC BOARD THICKNESS.
3. RECOGNIZED UNDER THE COMPONENT PROGRAM OF
UNDERWRITERS LABORATORIES INC. FILE N° E60677.
4. IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY
WITH IEC 998-1/998-2-1.



RECOMMENDED PC BOARD LAYOUT

37.38	4	1776161-4
27.22	3	1776161-3
17.06	2	1776161-2
A	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON	11JUL2005	TE Connectivity			
DIMENSIONS:		CHK C. RICHARD	11JUL2005				
mm		APVD C. RICHARD	11JUL2005	NAME TERMINAL BLOCK HEADER ASSEMBLY, 180 DEGREE, CLOSED ENDS, 10.16mm PITCH			
		PRODUCT SPEC		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		108-20166		A2	00779	C-1776161	-
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC		SCALE 5:1			
0 PLC ±.3		114-20079		SHEET 1 OF 1			
1 PLC ±.25		WEIGHT -		REV 01			
2 PLC ±.25		CUSTOMER DRAWING					
3 PLC ±.							
4 PLC ±.							
ANGLES ±2							
FINISH							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1776161-2](#)