

THIS DRAWING IS UNPUBLISHED

RELEASED FOR PUBLICATION

21

© COPYRIGHT

ALL RIGHTS RESERVED



LOC
F8

DIST
00



REVISIONS

THE JOURNAL OF CLIMATE





DATE DWN APVD



SECT A-A



RECOMMENDED FIRST MATING SIDE



PANEL CUTOUT DIMENSION (TOLERANCE: $\pm 0.1\text{mm}$)
(RECOMMENDED PANEL THICKNESS: 0.8mm - 1.6mm)

NOTE:

1. MATERIAL
HOUSING: 66NYL01H(94V-0), COLOR: WHITE, BLUE
POST: TIN BRASS WIRE
2. THE PANEL SHOULD BE PUNCHED SO THAT THE HOUSING
ENTERS THE PANEL IN THE SAME DIRECTION AS PUNCH.

| | | | | | | | |
|--|--|--|-------------------------------|--|------------------|-------------------|----------------------|
| | | DWN JIANG CHK S YAO | 04FEB03 04FEB03 04FEB03 |  TE Connectivity | | | |
| DIMENSIONS: mm  | | TOLERANCES UNLESS OTHERWISE SPECIFIED: $10 \geq 20 \leq \pm 0.2$ $100 \geq 30 \leq \pm 0.25$ $100 \geq 30 \leq \pm 0.3$ ANGLE $\pm 3^\circ$ | | NAME APVD T SASAKI PRODUCT SPEC 108-60018 APPLICATION SPEC 114-5223 | | | |
| | | | | AMP MINI COMMON TERMINATED (CT) CONNECTOR 5mm PITCH SINGLE ROW POST HEADER ASS'Y PANEL MOUNT TYPE | | | |
| | | | | SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
| | | | | A3 | 00779 | C-292215 | - |
| MATERIAL | | FINISH | | WEIGHT | | | |
| SEE NOTE 1 | | SEE NOTE 1 | | CUSTOMER DRAWING | | | |
| | | | | SCALE | NON | SHEET 1 OF 2 | REV P1 |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-292215-4](#)