






- INSULATION CRIMP
-
- DIMENSIONS





REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN
-	-	SEE SHEET 1	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. FORISKA	25SEP2006	TE Connectivity	
DIMENSIONS:		CHK G. MARTIN	25SEP2006		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD G. MARTIN	25SEP2006	NAME	CONNECTOR ASSEMBLY, FEMALE, 2 POSITION SEALED, 1.2mm STANDARD LATCH VERSION
	0 PLC	±		PRODUCT SPEC	
	1 PLC	±0.3		APPLICATION SPEC	
	2 PLC	±0.10		SIZE	A100779
	3 PLC	±		CAGE CODE	1924067
	4 PLC	±		DRAWING NO	
	ANGLES	±1°		RESTRICTED TO	
MATERIAL	FINISH	WEIGHT	2.07g	CUSTOMER DRAWING	
SEE TABLE		SCALE	4:1	SHEET	2 OF 2
				REV	B6

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1924067-1](#)