


REV.	DATE	DESCRIPTION				
А	09/04/01	INCREASE FERRULE LENGTH TO 9.5 [.374]				
В	04/31/03	UPDATE DRAWING FORMAT				







CRIMP NOTES:

- 1. CRIMPED FERRULE HEX CRIMP SIZE .128"
- 2. CONTACT PIN TO SOLDER

8					UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. DIMENSIONS IN [] ARE IN INCHES AND FOR CUSTOMER REFERANCE ONLY.	APPROVALS	DATE	Amphonol Connov		
7					UNLESS OTHERWISE SPECIFIED TOLERANCES FOR MILLIMETERS ARE:	DRAWN G.R.S.	04/31/03	Amphenol Connex		
6					0.5 - 8mm ± 0.20mm 8 - 30mm ± 0.40mm 30 - 120mm ± 0.50mm	CHECKED		PART DESCRIPTION		
5	HEAT SHRINK TUBE		BLACK	1				SMC CRIMP PLUG		
4	FERRULE	COPPER	NICKEL	1		ISSUED				
3	CONTACT PIN	BER. COPPER	GOLD	1	UNLESS OTHERWISE SPECIFIED TOLERANCES FOR INCHES ARE:	SHEET 1 OF 1		(RG-174/U, 188A/U, 316/U CABLE)		
2	INSULATOR	TEFLON	NATURAL	1	$.020315 = \pm 0.007$ "	1 OF 1		PART NO		
1	BODY	BODY BRASS		1	$.315 - 1.180 = \pm 0.015$ " $1.180 - 4.724 = \pm 0.020$ "			152100		
	DESCRIPTION	MATERIAL	FINISH	OTY		CAD FILE		DWG. NO. 152100.DWG REV. B SIZE A SCALE NA		
	DESCRIPTION	MATERIAL	1 1141311	U I	DO NOT SCALE DRAWING	C:/152/152100.DWG		152100.DWG   NEW B   SEE A   SOLE NA		

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

 $\frac{\text{Amphenol}}{\frac{152100}{}}$