

THIS DRAWING IS UNPUBLISHED.






RELEASED FOR PUBLICATION

2010






© COPYRIGHT 2010 BY -

ALL RIGHTS RESERVED.






COVERPART "A"
P/N 293730-1
(PART NOT SALEABLE)



COVERPART "B"
P/N 293731-1
(PART NOT SALEABLE)




8 POS. PLUG HOUSING
P/N 794617-8



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL
NYLON, UL94-V0
BLACK

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±0.5
1 PLC ±0.3
2 PLC ±0.2
3 PLC ±
4 PLC ±
ANGLES ±1°

FINISH
-
-

DWN 23JUN2010
D. CHIARELLI
CHK 23JUN2010
D. CHIARELLI
APVD 23JUN2010
G. TURCO

PRODUCT SPEC
108-20314

APPLICATION SPEC
114-20157






WEIGHT
-

Customer Drawing






REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
3		REVISED: ADDED PARTS WITH POLARIZATIONS	08NOV2010	DC	GT
A		RELEASE FOR PRODUCTION OF P/N 293736-1	26NOV2010	DC	GT
A1		REVISED PER ECR-14-006523	12MAY2014	RS	DD
A2		REVISED PER ECR-18-015042	21SEP2018	SR	DD

COVERPART "A"
P/N 293730-2
(PART NOT SALEABLE)



COVERPART "B"
P/N 293731-2
(PART NOT SALEABLE)



TE Connectivity

NAME
8 POS. COVERPART FOR
8 POS. MICRO MATE-N-LOK
PLUG HOUSING P/N 794617-8

SIZE A3	CAGE CODE 00779	DRAWING NO C-293736	RESTRICTED TO -
------------	--------------------	------------------------	--------------------

SCALE 2:1	SHEET 1	OF 2	REV A2
--------------	------------	---------	-----------



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PANEL CUTOUT FOR P/N 293736-2

CONNECTOR P/N 293736-2
MATING DIRECTION

TOLERANCES ±0.10 FOR ALL
THE DIMENSIONS OF THE PANEL



THE PRESENTED PRODUCT / DESIGN WILL BE
RELEASED FOR THE MANUFACTURING OF
THE NECESSARY PRODUCTION TOOLS HEREBY.
FURTHER CHANGES HAS TO BE PAID BY CUSTOMER.

DATE, SIGN OF THE CUSTOMER

8 POS. COVERPART
P/N 293736-...

- 1 PACKAGING: CARTON BOX CONTAINING:
- N°500 PIECES OF COVERPART "A" P/N 293730-...
 - N°500 PIECES OF COVERPART "B" P/N 293731-...
 - N°500 PLUG HOUSINGS P/N 794617-8
- 2 ADMITTED CABLES MUST HAVE EXTERNAL DIAMETER OF 5,6±0,2mm AND MUST BE OF THE FOLLOWING TYPE:
- LiYY 8x0.25mm² (MAX. N°8 CONTACTS P/N 794606-1 MUST BE CRIMPED ON THIS CABLE)
 - HELUKABEL DATAFLAMM 10x0,14mm² / 52307 350V HALOGEN FREE (MAX. N°8 CONTACTS P/N 794607-1 MUST BE CRIMPED ON THIS CABLE).

ON THIS SIDE OF THE PANEL THERE IS THE COUNTERPART CONNECTOR,
TYCO ELECTRONICS P/N 794639-8

3


4

NOT RELEASED FOR PRODUCTION

PANEL CUTOUT FOR P/N 293736-3

CONNECTOR P/N 293736-3
MATING DIRECTION

TOLERANCES ±0.10 FOR ALL
THE DIMENSIONS OF THE PANEL



-	293731-1	293730-1	293736-4
794617-8	293731-2	293730-1	293736-3 (POLARIZED VERSION 2)
794617-8	293731-1	293730-2	293736-2 (POLARIZED VERSION 1)
794617-8	293731-1	293730-1	293736-1 (STANDARD VERSION)
8 POS. PLUG HOUSING	COVERPART "B"	COVERPART "A"	PART NUMBER
COMPONENTS			

4

4

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. CHIARELLI 23JUN2010	TE Connectivity		
DIMENSIONS: mm		CHK D. CHIARELLI 23JUN2010			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G. TURCO 23JUN2010	NAME 8 POS. COVERPART FOR 8 POS. MICRO MATE-N-LOK PLUG HOUSING P/N 794617-8		
0 PLC ±0.5 1 PLC ±0.3 2 PLC ±0.2 3 PLC ± 4 PLC ± ANGLES ±1°		PRODUCT SPEC 108-20314	SIZE A300779		
MATERIAL		APPLICATION SPEC 114-20157	CAGE CODE C-293736		
FINISH -		WEIGHT -	RESTRICTED TO -		
Customer Drawing		SCALE 2:1	SHEET 2 OF 2		REV A2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[293736-4](#)