
4805 (3/11)



RECOMMENDED P.C. BOARD LAYOUT
DIMENSIONS & TOLERANCES IN ACCORDANCE WITH ANSI/IPC-D-300G, TYPE 1, CLASS C

- 1

HOUSING MATERIAL: POLYPHENELYNE SULFIDE, COLOR-NATURAL (BROWN).
- 2

CONTACT MATERIAL: BERYLLIUM COPPER.
- 3

CONTACT FINISH: .000050 GOLD IN CONTACT AREA, OVER .000050-.000100 NICKEL UNDERPLATE. TIN-LEAD PLATED TAILS.
- 4

MARK 73030SOCN-

{794897-5 FOR 534470-4}{794897-4 FOR 534470-7}

 IN APPROXIMATE AREA SHOWN (ON "A" SIDE OF ASSY).
- 5

MARK ROW A & D AS SHOWN, NUMBER CIRCUITS AT BEGINNING AND END OF CONTACT FIELD, AND MARK EVERY 5TH CIRCUIT WITH A HASH MARK, UNLESS NUMBERED, IN APPROXIMATE AREA SHOWN.
- 6

MARK AMP, PART NUMBER, AND DATE CODE IN APPROXIMATE AREA SHOWN (ON "A" SIDE OF ASSY).
- 7

CONTACT FINISH: .000050 GOLD IN CONTACT AREA, OVER .000050-.000100 NICKEL UNDERPLATE. TIN PLATED TAILS.

	2.375	1.900	38	4.300	4.750	5.050	312	<div>7</div>	5-534470-4
OBSELETE	2.725	2.250	45	5.000	5.450	5.750	368	<div>3</div>	534470-7
	2.375	1.900	38	4.300	4.750	5.050	312	<div>3</div>	534470-4
	F	E	D	C	B	A	POS	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN R SEIFRIED 15-OCT-86		<div>TE Connectivity</div>									
				CHK G. SKIPPER 15-DEC-93											
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G. SKIPPER 15-DEC-93		NAME									
<div><div></div><div></div></div>		0 PLC ± -		PRODUCT SPEC		AMP HDI SERIES 050, RECEPTACLE SURFACE MT ASSY									
		1 PLC ± -		APPLICATION SPEC		4 ROW, .050 X .150, ONE CENTER MT, 50u GOLD									
		2 PLC ± -				.175 THK BOARD, .125 & 300 LONG SOLDER TAILS									
MATERIAL		FINISH		WEIGHT		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO			
<div>1 - 2</div>		SEE TABLE		-		A1		00779		534470		-			
CUSTOMER DRAWING										SCALE 5:1		SHEET 2 OF 2		REV H	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[534470-4](#)