

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

D

C



B

A

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		<div>TE Connectivity</div>				
DIMENSIONS:		CHK						
<div></div>		APVD		NAME				
		PRODUCT SPEC						
		APPLICATION SPEC						
		MATERIAL		WEIGHT		SIZE	CAGE CODE	DRAWING NO
FINISH				A3		C-		
				SCALE		SHEET	OF	REV

1470-19 (3/11)

Pro/ENGINEER DRAWING

VIEW B ROTATED 180°

POST FEED 40 mm STROKE	POST FEED 30 mm STROKE	PRE FEED 30 mm STROKE	PRE FEED 40 mm STROKE



FENCE SET-UP DIM

CASE CODE 00779	CUSTOMER AND ASSEMBLY DRAWING
--------------------	-------------------------------

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1528055-2](#)