

4




3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION APR ,2007.
© COPYRIGHT 2007 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
J			A	REVISED	18JUN07	Y.S Y.N
			B	REVISED PER ECO-17-002393	25MAY17	B.J S.Y




OBSELETE

SEALANT (SIF-200B)	AVAILABLE	3	30	70	54.7	160	1-1981983-1
	NOT AVAILABLE	↑	↑	↑	48.7	140	1- -0
					42.7	120	-9
					36.7	100	-8
		3	30	70	33.7	90	-7
		5	50	43	30.7	80	-6
					27.7	70	-5
					24.7	60	-4
					21.7	50	-3
					18.7	40	-2
	NOT AVAILABLE	5	50	43	15.7	30	1981983-1
SEALANT	TOOLING STATUS	ROW	QTY	BB	AA	POS.	PART NO.

GENERAL TOLERANCE
10>= :±0.2
30>= >10:±0.25
100>= >30:±0.3
ANGLES:±3°

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Y.NAKAZAWA 02APR2007	Tyco Electronics Kawasaki,Japan			
DIMENSIONS: MM		CHK T.FUTATSUGI 02APR2007				
		APVD T.FUTATSUGI 02APR2007	NAME HARD TRAY ASSY FH 0.6BTB CONNECTOR REC 4H W/G-CONT AU-PLATED 0.00076mm			
		PRODUCT SPEC 108-60047				
MATERIAL		APPLICATION SPEC 114-5255	SIZE A3	CAGE CODE 00779	DRAWING NO C-1981983	RESTRICTED TO
		WEIGHT	CUSTOMER DRAWING			
		SCALE 1:2	SHEET 1 OF 3	REV B		



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1981983-1](#)