

This document was generated on 09/24/2018

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0945294112

Status: Active

Description: 5.00mm Pitch RAST, Receptacle, Natural Color, PA Polyamide (Nylon) 6/6, 12 Circuits,

Glow-Wire Capable

Documents:

3D Model Product Specification PS-94529-002-001 (PDF)

<u>Drawing (PDF)</u>
<u>RoHS Certificate of Compliance (PDF)</u>

Product Specification PS-94529-001-001 (PDF)

General

Product Family Crimp Housings

Series 94529

Application Power, Wire-to-Board

Comments This Molex product is manufactured from material

that has the following ratings, tested by independent agencies: a) A Glow Wire Ignition Temperature (GWIT) of at least 775 deg C per IEC 60695-2-13.. b) A Glow Wire Flammability Index (GWFI) above 850 deg C per IEC 60695-2-12.and hence complies with the requirements set out in the International Standard IEC 60335-1 5th edition - household and similar electrical appliances - safety; section 30 Resistance to heat and fire.<P><P>The customers using this product must determine its suitability for use in their particular application through testing or other acceptable means as described in end-product glow-wire flammability

product end-use standard(s).<P>If it is determined during the customer's evaluation of suitability, that higher performance is required, please contact Molex for

test standard IEC 60695-2-11 and any applicable

possible product options.

RAST 5

No

UPC 822350325677

Physical

Product Name

Breakaway No
Circuits (maximum) 12
Color - Resin Natural
Gender Receptacle
Glow-Wire Capable


Glow-Wire Capable Yes Lock to Mating Part Yes Material - Resin Nylon Net Weight 6.327/gNumber of Rows Packaging Type Bag Panel Mount No Pitch - Mating Interface 5.00mm Pitch - Termination Interface 5.00mm Polarized to Mating Part Yes **Ports**

Temperature Range - Operating -40° to +105°C, -40° to +85°C

Electrical

Stackable

Current - Maximum per Contact 6.0A



EU ELV

Compliant

EU RoHS China RoHS

Compliant REACH SVHC

Not Contained Per -

ED/61/2018 (27 June

2018)

Halogen-Free

<u>Status</u>

Not Relevant

For more information, please visit Contact US

China ROHS Not Relevant
ELV Compliant
RoHS Phthalates Not Contained

Search Parts in this Series

94529 Series

Mates With

PCB thickness 1.50mm

Use With

94529-1203 Terminal

Solder Process Data

Lead-freeProcess Capability N/A

Material Info

Reference - Drawing Numbers Product Specification PS-94529-001-001, PS-94529-002-001

Sales Drawing SD-94529-012

This document was generated on 09/24/2018

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

94529-4112