

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-001873	12MAR2014	GK	HMR



REPLACED BY OCEAN STYLE APPLICATOR PART  
NUMBER 2266113-6

FOR REPLACEMENT PARTS FOR APPLICATOR 1911058  
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)  
WILL REMAIN AVAILABLE.



THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE  
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR  
1911058

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK	RAGHAVENDRA			
		APVD	RAGHAVENDRA		NAME SIDE FEED SYSTEM III APPLICATOR	
		PRODUCT SPEC				
		APPLICATION SPEC				
MATERIAL		WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
FINISH			A3		©- 1911058	
CUSTOMER DRAWING				SCALE	SHEET 1 OF 3	REV A1

[illegible]

TERMINAL DATA: DEUTSCH TERMINAL TYCO ELECTRONICS CRIMP SPEC			
TERMINAL NAME: STAMPED CONTACT, SOCKET SIZE 16			
WIRE STRIP LENGTH 4.4-5.7 mm [.173-.224 IN]		INSULATION DIAMETER RANGE 1.91-2.41mm [.075-.094 IN]	
TERMINAL APPL SPEC 		0425-039-0000 - -	
TERMINALS APPLIED 			
TE TERMINAL 1949119-1	DEUTSCH TERMINAL 1062-16-1222	TE TERMINAL 1949119-2	DEUTSCH TERMINAL 1062-16-1244

-	1	1	1	1	1976053-1	LOCATER BLOCK, TERMINAL	179
-	1	1	1	1	1-993111-6	PIN, SLOTTED SPRING 3.0 X 30.0	177
-	2	2	2	2	3-22280-7	SPRING, COMPRESSION	176
-	1	1	1	1	1752353-1	GUIDE PIN, HOLDDOWN	175
-	1	1	1	1	1901680-1	GUIDE PIN, HOLDDOWN	174
-	REF	REF	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	135
-	1	1	1	1	22278-7	SPRING, COMPRESSION	77
-	1	1	1	1	854769-4	HOLDER, INS	74
-	1	1	1	1	1490525-3	DEPRESSOR, WIRE	73
-	1	1	1	1	1633565-1	DOCUMENTATION PACKAGE	71
-	3	3	3	3	2-23147-2	SPRING, COMPRESSION	70
-	1	1	1	1	1490524-1	DEPRESSOR, SPACER	69
-	1	1	1	1	1901048-1	TAG, IDENTIFICATION	67
-	2	2	2	2	21017-1	SCREW, DRIVE	66
-	1	1	1	1	1424350-1	HOLDER, PIN, WIRED	65
-	1	1	1	1	18028-1	WASHER, FLAT, REG M3	64
-	3	3	3	3	1655785-9	SCR, BTN SKT HD CAP (M3 X 6)	62
-	2	2	2	2	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	60
-	1	1	1	1	21028-2	PIN, SLOTTED SPRING .062 X .250	58
-	4	4	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	54
-	1	1	1	1	1-18030-0	NUT, HEX, REG M3.5	52
-	1	1	1	1	1901681-4	HOLDDOWN, TERMINAL	51
-	1	1	1	1	1-1752354-9	STANDOFF, HOLD-DOWN	50
-	1	1	1	1	1752300-1	SF SYSTEM III APPLICATOR	46
-	1	1	1	1	1752308-1	RAM	44
-	1	1	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	41
-	1	1	1	1	993002-4	SCREW, SET, SFT TIP	40
-	1	1	1	1	1962043-1	PLUNGER, BALL, METRIC	39
-	1	1	1	1	1752309-3	RING, INSULATION CRIMP	38
-	1	1	1	1	1752356-6	SUPPORT, TERMINAL	34
-	2	2	2	2	3-1655785-3	SCR, BTN SKT HD CAP (M4 X 20)	33
-	1	1	1	1	18028-3	WASHER, FLAT, REG M5	32
-	1	1	1	1	5-1655316-3	SCR, SKT HD CAP, M5 X 10.0	31
-	1	1	1	1	1320908-8	SPACER, STRIP GUIDE	30
-	1	1	1	1	1901087-1	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	1-455888-0	SPACER, CRIMPER	28
-	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24
-	1	1	1	1	1976045-1	STRIPPER	22
-	1	1	1	1	18028-2	WASHER, FLAT, REG M4	20
-	REF	REF	REF	REF	1752311-1	STRIPPER	19
-	1	-	1	-	1338684-8	SHEAR HOLDER, FRONT	13
-	1	1	1	1	3-22280-3	SPRING, COMPRESSION	12
-	1	1	1	1	1-356885-2	STOP, SHEAR	11
-	-	1	-	1	2-1320921-9	SHEAR HOLDER, FRONT, CUT	10
-	1	1	1	1	2-454276-6	FLOATING SHEAR, FRONT	9
1	2	2	1	1	4-1633138-2	ANVIL, COMBINATION	8
-	1	1	1	1	854772-3	DEPRESSOR, SHEAR	5
-	1	1	1	1	238011-2	BLOCK, CRIMPER SPACER	4
1	2	2	1	1	5-904741-9	CRIMPER, INSUL O PREMIUM	3
-	1	1	1	1	455888-4	SPACER, CRIMPER	2
1	2	2	1	1	2-1490019-0	CRIMPER, WIRE PREMIUM	1

THIS DRAWING IS A CONTROLLED DOCUMENT OF THE ORGANIZATION IT IS SUBCITY OF THE UNITED STATES OF AMERICA. IT IS THE PROPERTY OF THE ORGANIZATION AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM THE ORGANIZATION.		NO	
DIMENSIONS: (INCHES (mm))		DWG <b>HOFFNER</b> 12APR2007 CHK <b>N. DEMING</b> 13APR2007 APP'D <b>DEMING</b> 13APR2007	 <b>Tyco Electronics</b> Tyco Electronics Harrisburg, PA 17105-3608
OTHER DIMENSIONS, UNLESS OTHERWISE SPECIFIED: 		PRODUCT SPEC - APPLICATION SPEC - SEE TABLE WEIGHT CUSTOMER DRAWING	NAME <b>SIDE FEED SYSTEM III APPLICATOR</b> SIZE CASE CODE DRAWING NO. <b>A1 00779 C-1911058</b> RESTRICTED TO SCALE 3:5 SHEET 1 OF 2 REV A
MATERIAL -		FINISH -	


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	OWN
A	66	-	-	SEE SHEET 1	-	-

TERMINAL APPLICATION CHART

TERMINAL PART NUMBERS		TERMINAL INSULATION RANGE	APPLICATOR PART NUMBER	ANVIL	INSULATION CRIMPER	WIRE CRIMPER	INSULATION CRIMP WIDTH	WIRE CRIMP WIDTH
DEUTSCH	TE							
1062-16-1222 1062-16-1244	1949119-1 1949119-2	.075-.095	1911036	4-1633138-0	1633510-9	2-1490019-0	.080 (O)	.106 (F)
1062-16-1222 1062-16-1244	1949119-1 1949119-2	.090-.110	1911057	4-1633138-1	5-456135-0	2-1490019-0	.100 (O)	.106 (F)
1062-16-1222 1062-16-1244	1949119-1 1949119-2	.105-.125	1911058	4-1633138-2	5-904741-9	2-1490019-0	.110 (O)	.106 (F)
1062-16-1222 1062-16-1244	1949119-1 1949119-2	.120-.140	1911059	4-1633138-3	4-904741-1	2-1490019-0	.130 (O)	.106 (F)

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED FOR THE PURPOSES SPECIFIED ONLY. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION.

OWN: HOFFNER 12APR2007  
CHK: N. DEMING 13APR2007  
APP'D: N. DEMING 13APR2007

DIMENSIONS: INCHES (mm)  


TOLERANCES, UNLESS OTHERWISE SPECIFIED:  
0 PLC ±.1  
1 PLC ±.1  
2 PLC ±.1  
3 PLC ±.1  
4 PLC ±.1  
ANGLES ±.1

NAME: SIDE FEED SYSTEM III APPLICATOR  
PRODUCT SPEC: -  
APPLICATION SPEC: SEE TABLE  
WEIGHT: -  
CUSTOMER DRAWING

SIZE: A | CAGE CODE: 00779 | DRAWING NO: 1911058  
SCALE: 3:5 | SHEET 2 OF 2 | REV A

RESTRICTED TO: -

Tyco Electronics  
Harrisburg, PA 17105-3608

SCALE: 3:5 | SHEET 2 OF 2 | REV A

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1911058-6](#)