









DIMENSIONS IN MILLIMETERS. DO NOT SCALE PRINT.

PRINT DIST
DW |



PRODUCT LOADING FOR 2 TO 6 CONTACTS



PRODUCT LOADING FOR 7 TO 15 CONTACTS

900	3	2700	56	3.73	2.81	15
				3.57	2.65	14
				3.43	2.51	13
	4	3600	44	4.20	3.24	12
				3.91	2.95	11
				3.77	2.81	10
	6	5400	32	4.68	3.90	9
				4.68	3.56	8
				4.28	3.24	7
	7	6300	24	4.48	3.40	6
				4.10	3.02	5
				3.73	2.65	4
				3.35	2.27	3
2.97				1.89	2	
PCS/ TAPE	REELS/ CARTON	QUANTITY	DIM W	G/W (KG)	N/W (KG)	NO. OF CONTACTS

TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±— 1 PLC ±— 2 PLC ±— 3 PLC ±— ANGLES ±—		DWN A. WU 22—MAY—2006		 TE Connectivity			
		CHK S. HOU 22—MAY—2006					
MATERIAL —		APVD W.J. KE 22—MAY—2006		NAME 2.0 WIRE TO BOARD CONNECTOR, 0.5 SQ PIN, HEADER, R/A, SMT			
		PRODUCT SPEC					
FINISH —		APPLICATION SPEC		LOC DW	SIZE A ₃	DRAWING NO C—1734827	REV A1
		WEIGHT		SCALE — —		SHEET 2 OF 2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1734827-6](#)