


FLEXISAFE MLC Chips

General Specifications and Capacitance Range For Ultra Safety Critical Applications



AVX have developed a range of components specifically for safety critical applications.

Utilizing the award-winning FLEXITERM™ layer in conjunction with the cascade design previously used for high voltage MLCCs, a range of ceramic capacitors is now available for customers who require components designed with an industry leading set of safety features.

The FLEXITERM™ layer protects the component from any damage to the ceramic resulting from mechanical stress during PCB assembly or use with end customers. Board flexure type mechanical damage accounts for the majority of MLCC failures. The addition of the cascade structure protects the component from low insulation resistance failure resulting from other common causes for failure; thermal stress damage, repetitive strike ESD damage and placement damage. With the inclusion of the cascade design structure to complement the FLEXITERM™ layer, the FLEXISAFE range of capacitors has unbeatable safety features.

HOW TO ORDER

0805	5	C	104	K	Q	Z	2	A
Size	Voltage	Dielectric	Capacitance Code (In pF)	Capacitance Tolerance	Failure Rate	Terminations	Packaging	Special Code
FS03 = 0603 FS05 = 0805 FS06 = 1206 FS10 = 1210	16V = Y 25V = 3 50V = 5 100V = 1	X7R = C	2 Sig. Digits + Number of Zeros e.g. 10µF =106	J = ±5% K = ±10% M = ±20%	A = Commercial 4 = Automotive Q = APS	Z = FLEXITERMTM *X = FLEXITERMTM with 5% min lead *Not RoHS Compliant	2 = 7" Reel 4 = 13" Reel	A = Std.Product

FLEXISAFE X7R RANGE

Capacitance Code	FS03 = 0603				FS05 = 0805				FS06 = 1206			FS10 = 1210		
	Soldering				Soldering				Soldering			Soldering		
wVDC	Reflow/Wave				Reflow/Wave				Reflow/Wave			Reflow Only		
	16	25	50	100	16	25	50	100	16	25	50	16	25	50
102	µF	0.001												
182		0.0018												
222		0.0022												
332		0.0033												
472		0.0047												
103		0.01												
123		0.012												
153		0.015												
183		0.018												
223		0.022												
273		0.027												
333		0.033												
473		0.047												
563		0.056												
683		0.068												
823		0.082												
104		0.1												
124		0.12												
154		0.15												
224		0.22												
334		0.33												
474		0.47												

■ Qualified



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

AVX:

[FS035C332K4Z2A](#) [FS055C333K4Z2A](#) [FS055C223K4Z2A](#) [FS055C222K4Z2A](#) [FS055C153K4Z2A](#)
[FS055C104K4Z2A](#) [FS055C103K4Z2A](#) [FS035C472K4Z2A](#) [FS035C223K4Z2A](#) [FS035C222K4Z2A](#) [FS035C103K4Z2A](#)
[FS035C102K4Z2A](#) [FS055C102K4Z2A](#) [FS055C472K4Z2A](#) [FS055C473K4Z2A](#) [FS105C474K4Z2A](#)
[FS105C334K4Z2A](#) [FS105C224K4Z2A](#) [FS065C102KAZ2A](#) [FS031C102K4Z2A](#) [FS031C103K4Z2A](#) [FS031C222K4Z2A](#)
[FS031C332K4Z2A](#) [FS031C472K4Z2A](#) [FS035C153K4Z2A](#) [FS055C332K4Z2A](#) [FS055C683K4Z2A](#)
[FS055C823K4Z2A](#) [FS065C103K4Z2A](#) [FS065C104K4Z2A](#) [FS065C153K4Z2A](#) [FS065C154K4Z2A](#) [FS065C222K4Z2A](#)
[FS065C223K4Z2A](#) [FS065C332K4Z2A](#) [FS065C333K4Z2A](#) [FS065C472K4Z2A](#) [FS065C473K4Z2A](#)
[FS065C683K4Z2A](#) [FS065C823K4Z2A](#) [FS105C154K4Z2A](#) [FS055C102KAZ2A](#) [FS055C103KAZ2A](#)
[FS055C104KAZ2A](#) [FS051C222J4Z4A](#) [FS051C104K4Z2A](#) [FS051C104K4Z4A](#) [FS051C223K4Z2A](#) [FS053C104KAZ2A](#)
[FS055C102K4T2A](#) [FS053C104K4Z2A](#) [FS051C103K4Z2A](#) [FS051C473K4Z2A](#) [FS051C102K4Z2A](#)
[FS031C102K4Z4A](#) [FS035C102K4Z4A](#) [FS053C102K4Z2A](#) [FS051C102KAZ2A](#) [FS105C224K4Z4A](#)