

ISOMETRIC VIEW
SCALE 2:1

COAX CABLE
SUPPLIED BY CUSTOMER

.63 MAX

DETAIL Y
SCALE 5:1

	C1	REVISED PER ECO-013737	30JUN2010	DLD	LLV
	C2	ECO-12-004856	29MAR2012	KP	LV

JACK SUBASSEMBLY
1924129-1

FERRULE
1-413889-4








G
SEE TABLE


LIP SLOT

3.11 9.91 4.02

RECOMMENDED STRIP LENGTH DIMENSIONS
SCALE: NTS

LOC		DIST		REVISIONS					
IN		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	D. J. HARDY	09OCT2006	 TE Connectivity	
		CHK	J. W. HALL	17OCT2006		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		
mm		9 PLC ± 1 PLC ± 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH ±		JACK KIT, UNASSEMBLED, 1 POSITION, 1.5D-2VS OR 1.5C-2V, FAKRA		
				PRODUCT SPEC		
				APPLICATION SPEC		
				114-13157		
MATERIAL				SIZE CAGE CODE DRAWING NO		
				A100779C=1924133		
				RESTRICTED TO		
				CUSTOMER DRAWING		
				SCALE 4:1 SHEET 2 OF 2 REV C2		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-1924133-4](#)