





LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			01	REVISED PER ECO-12-007711	26APR2012	KH	MS




1776152-3 AS SHOWN







- 1 MATERIALS AND FINISH
HOUSING: HIGH TEMPERATURE POLYAMIDE, UL 94V-0 RATED,
COLOR: BLACK.
TERMINAL: COPPER ALLOY, TIN PLATED.
2. SUITABLE FOR 1,6-2,4mm PC BOARD THICKNESS.
3. RECOGNIZED UNDER THE COMPONENT PROGRAM OF
UNDERWRITERS LABORATORIES INC., FILE N° E60677.
4. IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY
WITH IEC 998-1/998-2-1.

21.06	3	1776152-3
13.44	2	1776152-2
A	NO OF POSN	PART NUMBER



RECOMMENDED PC BOARD LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON	26JUL2005	 TE Connectivity	
		CHK C. RICHARD	26JUL2005		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME TERMINAL BLOCK HEADER ASSEMBLY, 90 DEGREE, OPEN ENDS, 7.62mm PITCH	
mm					
		0 PLC ±.3 1 PLC ±.25 2 PLC ±.3 3 PLC ±.3 4 PLC ±.3 ANGLES ±2 FINISH			
MATERIAL		WEIGHT			
 -		 -		SIZE A2	
		APPLICATION SPEC 108-20166		CAGE CODE 00779	
		PRODUCT SPEC 114-20079		DRAWING NO C-1776152	
		CUSTOMER DRAWING		RESTRICTED TO -	
				SCALE 5:1 SHEET OF REV 01	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1776152-2](#)