





LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			C	REVISED PER 0G3B-0119-01	07JAN2002	EZ	DB
			D	ADDED -5 EC 0G3B-0138-02	16JAN2003	SW	CR
			E	REVISED EC 0G3B-0199-02	04JUN2003	SW	CR
			F	REVISED EC 0G3B-0695-03	16OCT2003	SW	CR



282917-3 AS SHOWN



RECOMMENDED PC BOARD LAYOUT



-	83.82	81.28	GREEN	16	1-282917-6
-	17.78	15.24	GRAY	3	1-282917-3
-	17.78	15.24	BLUE	3	282917-5
8 SEE SHEET 2	63.50	60.96	BLACK	12	282917-4
-	17.78	15.24	GREEN	3	282917-3
-	12.70	10.16	GREEN	2	282917-2

MARKING	B	A	COLOR	NO OF POSN	PART NUMBER
---------	---	---	-------	------------	-------------

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN 07JAN2002 E. ZANOLINI	BUCHANAN Tyco Electronics Harrisburg, PA 17105-3608		
		CHK 07JAN2002 E. ZANOLINI			
		APVD 07JAN2002 D. BIEVENOUR	NAME		
DIMENSIONS: mm		PRODUCT SPEC 108-20166	TERMINAL BLOCK, PCB MOUNT THREE LEVEL STACKING W/INTERLOCK, 5.08mm PITCH		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC 114-20079	SIZE CAGE CODE DRAWING NO RESTRICTED TO		
MATERIAL -		WEIGHT -	A3 00779 C=282917		
FINISH -		CUSTOMER DRAWING SCALE 2:1 SHEET 1 OF 2 REV F			

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

FT

0

P

LTR

DESCRIPTION

DATE

DWN

APVD

-

SEE SHEET 1

-

-

-



MATERIALS AND FINISH
HOUSING: PA 6-6, UL 94-V0, COLOR: SEE TABLE.
CLAMP: BRASS, NICKEL PLATED.
TERMINAL: BRASS, TIN PLATED.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.

2

SUITABLE FOR 1,6-2,4mm PC BOARD THICKNESS.

3

END-TO-END STACKABLE W/INTERLOCK WITHOUT LOSS OF CENTERLINE SPACING.

4

WIRE SIZE RANGE
12 - 30 AWG

5

RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC. FILE N° E60677.

6

IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY WITH IEC 998-1/998-2-1.




NOT CUMULATIVE TOLERANCE.



INK MARKING, WHITE COLOR.



P/N 282917-4 IS OBTAINED BY GLUING AND ASSEMBLYING TOGETHER N.4 CONNECTORS P/N 282917-3




P/N 282917-4 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±.3
2 PLC	±.25
3 PLC	±-
4 PLC	±-
ANGLES	±2

MATERIAL



FINISH



DWN 07JAN2002

E. ZANOLINI

CHK 07JAN2002

E. ZANOLINI

APVD 07JAN2002

D. BIEVENOUR

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

BUCHANAN

Tyco Electronics
Harrisburg, PA 17105-3608NAME
TERMINAL BLOCK, PCB MOUNT
THREE LEVEL
STACKING W/INTERLOCK, 5.08mm PITCH

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 00779 C=282917

SCALE 3:1

SHEET 2 OF 2

REV F

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[282917-3](#)