






KEYING OPTIONS
SCALE 2:1


OPTION "H"



OPTION "K"





OPTION "M"




SCALE 1:1

NOTE(S):

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393368.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



SCALE 2:1



THIS VIEW SHOWS THE
MODIFIED CAM LEVER
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IF IT IS SUBJECT TO PATENT RIGHTS, THE USER OF THIS DRAWING OR ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DATE 14NOV2006 BY A HOLT CHK W WELLINSKY 4NOV2006 TYPED W WELLINSKY 4NOV2006		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.01 1 PLC ±.03 2 PLC ±.04 ID 3 PLC ±.05 4 PLC ±.06 ANGLES ±.3°		NAME 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
		APPLICATION SPEC		SIZE CAGE CODE DRAWING NO	
MATERIAL SEE CHART 2		WEIGHT SEE NOTE 5		A 1 00779 C=1924170	
FINISH -		CUSTOMER DRAWING		SCALE 3:1 SHEET 1 OF 5 REV F	

[illegible][illegible]

THIS IS A STANDARD IEC CONNECTOR FOR THE PURPOSES OF THE IEC ORGANIZATION THE IEC ORGANIZATION IS NOT RESPONSIBLE FOR THE CONTENTS OF THIS DOCUMENT		DRAWN A. HOLT 14NOV2006		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
											11	12										21	22													35	36	37	38	39	40	0-1924170-1	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G		
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24									35	36						0-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24					29	30				35	36						0-1924170-7	G	
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G		
			3	4	5	6	7	8	9	10	11	12																						35	36	37	38	39	40	0-1924170-9	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16													27	28	29	30					35	36	37	38	39	40	1-1924170-0	G	
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G	
1	2						7	8	9	10	11	12									21	22												35	36	37	38	39	40	1-1924170-3	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22												35	36	37	38	39	40	1-1924170-4	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18				21	22												35	36	37	38	39	40	1-1924170-5	G		
1	2						7	8	9	10	11	12					17	18				21	22											35	36	37	38	39	40	1-1924170-6	G			
1	2						7	8	9	10	11	12					17	18				21	22											35	36	37	38	39	40	1-1924170-7	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-8	G	
							7	8	9	10	11	12																							35	36	37	38	39	40	1-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30					35	36	37	38	39	40	2-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22							27	28	29	30								39	40			2-1924170-1	G
							7	8	9	10	11	12	13	14	15	16																							39	40			2-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																						39	40			2-1924170-3	G	
1	2						7	8	9	10	11	12					17	18				21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G		
1	2						7	8	9	10	11	12					17	18				21	22	23	24									35	36	37	38	39	40	2-1924170-5	G			
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	2-1924170-6	G	
							7	8	9	10	11	12	13	14	15	16	17	18									26								35	36	37	38	39	40	2-1924170-7	G		
							7	8	9	10	11	12	13	14	15	16	17	18																				39	40			2-1924170-8	G	
			3	4			7	8	9	10	11	12	13	14	15	16																					37	38	39	40			2-1924170-9	G
											11	12																								37	38	39	40			3-1924170-0	G	
1	2						7	8	9	10	11	12	13	14	15	16	17	18				21	22												35	36	37	38	39	40	3-1924170-1	G		
1	2						7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-2	G	
1	2						7	8	9	10	11	12	13	14	15	16	17	18				21	22												35	36	37	38	39	40	3-1924170-3	G		
1	2						7	8	9	10	11	12									21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-4	G	
1	2						7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	3-1924170-5	G		
1	2				5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22					27	28	29	30					35	36	37	38	39	40	3-1924170-6	G	
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24						29	30				35	36	37	38	39	40	3-1924170-7	G		
1	2						7	8	9	10	11	12									21	22		24											35	36	37	38	39	40	3-1924170-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G	
											11	12							19	20																37	38	39	40			4-1924170-0	G	
					5	6	7	8	9	10	11	12	13	14	15	16				19	20																37	38	39	40			4-1924170-1	G
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	4-1924170-2	G	
1	2	3	4	5	6	7	8				11	12	13	14	15	16				19	20	21	22	23	24			27	28	29	30	31	32			35	36	37	38	39	40	4-1924170-3	G	
1	2																																											

LOC	DIST	REVISIONS										
FX	00	P	LTR	DESCRIPTION						DATE	DWN	APVD
		-	-	SEE SHEET 1						-	-	-

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
				5	6	7	8	9	10	11	12	13	14	15	16									24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26									35	36	37	37	39	40	6-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24				27	28	29	30						35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24													35	36	37	37	39	40	6-1924170-9	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30							37	38	39	40	7-1924170-0	G		
				5	6	7	8	9	10	11	12	13	14	15	16								24													35	36	37	38	39	40	7-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24													35	36	37	38	39	40	7-1924170-2	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30						35	36	37	38	39	40	7-1924170-3	G	
											11	12											24																			7-1924170-4	G	
1	2										11	12	13	14	15	16							24																			7-1924170-5	G	
											11	12																					32					37	38	39	40	7-1924170-6	G	
											11	12											24																			7-1924170-7	G	
											11	12										19	20																			7-1924170-8	G	
											11	12										19	20																			7-1924170-9	G	
						7	8	9	10	11	12											19	20																			8-1924170-0	G	
						7	8	9	10	11	12																															8-1924170-1	G	
							9	10	11	12								17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																								37	38			8-1924170-3	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20																	37	38	39	40	8-1924170-4	G	
						7	8	9	10	11	12	13	14	15	16				19	20																		37	38	39	40	8-1924170-5	G	
1	2					7	8	9	10	11	12		14	15		17	18				21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G		
1	2					7	8	9	10			13	14	15	16						21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-7	G	
1	2					7	8	9	10			13	14	15	16						21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18				21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18				21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38			9-1924170-1	G		
		3	4	5	6						11	12												24												35	36	37	38	39	40	9-1924170-2	G	
						7	8	9	10	11	12													24												35	36	37	38			9-1924170-3	G	
											11	12											24													35	36	37	38	39	40	9-1924170-4	G	
			3	4	5	6					11	12								19	20																			39	40	9-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G		
						7	8	9	10	11	12	13	14	15	16				19	20				24														37	38	39	40	9-1924170-7	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20			24													37	38	39	40	9-1924170-8	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20			24													37	38	39	40	9-1924170-9	G		
						7	8	9	10	11	12	13	14	15	16				19	20			24														37	38	39	40	0-1924171-1	G		
											11	12								19	20																					0-1924171-2	G	
			3	4	5	6	7	8	9	10	11	12								19	20			24															39	40	0-1924171-3	G		
						7	8	9	10	11	12																															0-1924171-4	G	
											11	12																														0-1924171-5	G	
											11	12																														0-1924171-6	G	
						7	8	9	10	11	12												24													35	36	37	38	39	40	0-1924171-7	G	
											11	12	13	14	15	16							24													35	36						0-1924171-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-1924171-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21			24		26	27	28	29	30					35	36	37	38	39	40	1-1924171-0	G		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-1924170-1](#)