






PRODUCT NUMBER	DESCRIPTION	NOTES
10093084-20XXLF	NON-HF	SEE SHT. 4
10093084-20XXHFLF	HALOGEN FREE (HF)	SEE SHT. 5
10093084-30XXLF	NON-HF	SEE SHT. 4
10093084-30XXHFLF	HALOGEN FREE (HF)	SEE SHT. 5




spec ref				dr		Deborah Ingram		2009/07/20		projection		mm		size		A3		scale		3:10			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Shawn Xu		2015/10/25						ecn no		ELX-N-22246-1					
						chr		-		-						rel level		Released					
						appr		Frank Mao		2015/10/25						product family		QSFP PLUG					
surface		linear		0.X		±0.3				title		FINAL ASSEMBLY		dwg no		10093084		rev		N			
				0.XX		±0.10																	
				0.XXX		±0.050																	
		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 6							


PRODUCT NUMBER	DESCRIPTION	NOTES
10093084-10XXLF	NON-HF	SEE SHT. 4
10093084-10XXHFLF	HALOGEN FREE (HF)	SEE SHT. 5
10093084-40XXLF	NON-HF	SEE SHT. 4
10093084-40XXHFLF	HALOGEN FREE (HF)	SEE SHT. 5
10093084-50XXLF	NON-HF	SEE SHT. 4
10093084-50XXHFLF	HALOGEN FREE (HF)	SEE SHT. 5



VIEW A




VIEW A



spec ref				dr		Deborah Ingram		2009/07/20		projection		mm		size		A3		scale		1:2	
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Shawn Xu		2015/10/25						ecn no		ELX-N-22246-1			
chr						-		-													
appr						Frank Mao		2015/10/25		product family		QSFP PLUG		rel level		Released					
surface		linear		0.X		±0.3				title		FINAL ASSEMBLY		dwg no		10093084		rev		N	
				0.XX		±0.10															
				0.XXX		±0.050															
		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 2 of 6					



Copyright FCI.



LOW SPEED SIGNALS P1 & P2

POSITION	SYMBOL
8	ModSeLL
9	ResetL
10	VccRx
11	SCL
12	SDA
27	ModPrsL
28	IntL
29	VccTx
30	VccI
31	LPMode

WIRING LIST (SEE NOTE 6)

END P1			END P2	
POSITION	SYMBOL		POSITION	SYMBOL
1	GND (TX)	---▷	20	GND (RX)
2	TX2n	---▷	21	RX2n
3	TX2p	---▷	22	RX2p
4	GND (TX)	---▷	23	GND (RX)
5	TX4n	---▷	24	RX4n
6	TX4p	---▷	25	RX4p
7	GND (TX)	---▷	26	GND (RX)
13	GND (RX)	◁---	32	GND (TX)
14	RX3p	◁---	33	TX3p
15	RX3n	◁---	34	TX3n
16	GND (RX)	◁---	35	GND (TX)
17	RX1p	◁---	36	TX1p
18	RX1n	◁---	37	TX1n
19	GND (RX)	◁---	38	GND (TX)
20	GND (RX)	◁---	1	GND (TX)
21	RX2n	◁---	2	TX2n
22	RX2p	◁---	3	TX2p
23	GND (RX)	◁---	4	GND (TX)
24	RX4n	◁---	5	TX4n
25	RX4p	◁---	6	TX4p
26	GND (RX)	◁---	7	GND (TX)
32	GND (TX)	---▷	13	GND (RX)
33	TX3p	---▷	14	RX3p
34	TX3n	---▷	15	RX3p
35	GND (TX)	---▷	16	GND (RX)
36	TX1p	---▷	17	RX1p
37	TX1n	---▷	18	RX1n
38	GND (TX)	---▷	19	GND (RX)

SHIELD-----▷ SHIELD

spec ref				dr		Deborah Ingram		2009/07/20		projection		mm		size		A3		scale		3:10									
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Shawn Xu		2015/10/25						ecn no		ELX-N-22246-1											
						chr		-		-						rel level		Released											
						appr		Frank Mao		2015/10/25		product family						QSFP PLUG											
surface		linear		0.X		±0.3				title		FINAL ASSEMBLY						dwg no		10093084						rev		N	
				0.XX		±0.10																							
				0.XXX		±0.050																							
		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw						sheet 3 of 6									



Copyright FCI.

A

B

C

D

PART NUMBER	"DIM L" LENGTH (Meters)	AWG	NOTES
10093084-1005LF	0.5	32	NOTE 12
10093084-1010LF	1.0	32	
10093084-2005LF	0.5	30	NOTE 12
10093084-200ALF	0.75	30	
10093084-2010LF	1.0	30	
10093084-2015LF	1.5	30	
10093084-2020LF	2.0	30	
10093084-2025LF	2.5	30	
10093084-2030LF	3.0	30	
10093084-2050LF	5.0	30	
10093084-2070LF	7.0	30	
10093084-3005LF	0.5	28	NOTE 12
10093084-3010LF	1.0	28	
10093084-3015LF	1.5	28	
10093084-3020LF	2.0	28	
10093084-3025LF	2.5	28	
10093084-3030LF	3.0	28	
10093084-3035LF	3.5	28	
10093084-3040LF	4.0	28	
10093084-3045LF	4.5	28	
10093084-3050LF	5.0	28	
10093084-3070LF	7.0	28	
10093084-4005LF	0.5	26	NOTE 12
10093084-4010LF	1.0	26	
10093084-4015LF	1.5	26	
10093084-4020LF	2.0	26	
10093084-4025LF	2.5	26	
10093084-4030LF	3.0	26	
10093084-4035LF	3.5	26	
10093084-4040LF	4.0	26	
10093084-4045LF	4.5	26	
10093084-4050LF	5.0	26	
10093084-4055LF	5.5	26	
10093084-4060LF	6.0	26	
10093084-4065LF	6.5	26	
10093084-4070LF	7.0	26	

2

3

4

PART NUMBER	"DIM L" LENGTH (Meters)	AWG	NOTES
10093084-5005LF	0.5	24	NOTE 12
10093084-5010LF	1.0	24	
10093084-5015LF	1.5	24	
10093084-5020LF	2.0	24	
10093084-5025LF	2.5	24	
10093084-5030LF	3.0	24	
10093084-5035LF	3.5	24	
10093084-5040LF	4.0	24	
10093084-5045LF	4.5	24	
10093084-5050LF	5.0	24	
10093084-5055LF	5.5	24	
10093084-5060LF	6.0	24	
10093084-5065LF	6.5	24	
10093084-5070LF	7.0	24	
10093084-5075LF	7.5	24	
10093084-5080LF	8.0	24	
10093084-5085LF	8.5	24	
10093084-5090LF	9.0	24	
10093084-5095LF	9.5	24	
10093084-5100LF	10.0	24	


A

B

C

D

NON-HALOGEN FREE CABLE ASSEMBLY PART NUMBERS

spec ref				dr		Deborah Ingram		2009/07/20		projection		mm		size		A3		scale		1:1							
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Shawn Xu		2015/10/25						ecn no		ELX-N-22246-1									
						chr		-		-																	
												appr		Frank Mao		2015/10/25		product family		QSFP PLUG				rel level		Released	
surface 		linear		0.X		±0.3				title		FINAL ASSEMBLY						dwg no		10093084				rev		N	
				0.XX		±0.10																					
				0.XXX		±0.050																					
				angular		0°		±2°°		www.fci.com		cat. no.		-		Product - Customer Drw						sheet 4 of 6					

2

3

PDS: Rev :N

STATUS:Released

Printed: Oct 26, 2015



Copyright FCI.

A

B

C

D

PART NUMBER	"DIM L" LENGTH (Meters)	AWG	NOTES
10093084-1005HFLF	0.5	32	NOTE 11
10093084-1010HFLF	1.0	32	
10093084-2005HFLF	0.5	30	NOTE 11
10093084-200AHFLF	0.75	30	
10093084-2010HFLF	1.0	30	
10093084-2015HFLF	1.5	30	
10093084-2020HFLF	2.0	30	
10093084-2025HFLF	2.5	30	
10093084-2030HFLF	3.0	30	
10093084-2050HFLF	5.0	30	
10093084-2070HFLF	7.0	30	
10093084-3005HFLF	0.5	28	NOTE 11
10093084-3010HFLF	1.0	28	
10093084-3015HFLF	1.5	28	
10093084-3020HFLF	2.0	28	
10093084-3025HFLF	2.5	28	
10093084-3030HFLF	3.0	28	
10093084-3035HFLF	3.5	28	
10093084-3040HFLF	4.0	28	
10093084-3045HFLF	4.5	28	
10093084-3050HFLF	5.0	28	
10093084-3070HFLF	7.0	28	
10093084-4005HFLF	0.5	26	NOTE 11
10093084-4010HFLF	1.0	26	
10093084-4015HFLF	1.5	26	
10093084-4020HFLF	2.0	26	
10093084-4025HFLF	2.5	26	
10093084-4030HFLF	3.0	26	
10093084-4035HFLF	3.5	26	
10093084-4040HFLF	4.0	26	
10093084-4045HFLF	4.5	26	
10093084-4050HFLF	5.0	26	
10093084-4055HFLF	5.5	26	
10093084-4060HFLF	6.0	26	
10093084-4065HFLF	6.5	26	
10093084-4070HFLF	7.0	26	

HALOGEN FREE CABLE ASSEMBLY PART NUMBERS

spec ref				dr		Deborah Ingram		2009/07/20		projection		mm		size		A3		scale		3:10									
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Shawn Xu		2015/10/25						ecn no		ELX-N-22246-1											
chr						-		-																					
appr						Frank Mao		2015/10/25		product family										QSFP PLUG		rel level		Released					
surface		linear		0.X		±0.3				title						FINAL ASSEMBLY		dwg no		10093084						rev		N	
				0.XX		±0.10																							
				0.XXX		±0.050																							
		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw						sheet 5 of 6									

A

B



C

D

- NOTES:
- ① - MATERIAL:
CASTINGS: ZINC ALLOY/ COPPER UNDERPLATE/ NICKEL OVERPLATE
PULL TAB: THERMOPLASTIC POLYMER
LATCH RELEASE: ZINC DIECAST, NICKEL OVERPLATE
DRIVE SCREWS: STAINLESS STEEL
STRAIN RELIEF COLLAR: BRASS
SPRING: STAINLESS STEEL
PADDLE CARD: PRINTED CIRCUIT SUBSTRATE
 - 2 - THIS PRODUCT MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS) DIRECTIVE (2002/95/EC)

- ③. THIS DIMENSION IS A FINISHED PRODUCT LENGTH.
- ④- UNLESS OTHERWISE SPECIFIED ASSEMBLED LENGTH TOLERANCE IS TO BE:
"DIM L" < 1 METER = ± 25mm
"DIM L" = 1 METER TO 10 METERS = ± 2% OF "DIM L"
"DIM L" > 10 METERS = +0.00 / -4% OF "DIM L"

- ⑤- UNLESS OTHERWISE SPECIFIED LABEL POSITION IS TO BE 50mm FROM REAR OF CONNECTOR.
LABEL DETAILS:
MANUFACTURER CODE OR NAME COUNTRY ORIGIN
CUSTOMER P/N OR FCI P/N
REVISION
DATE CODE (Y/WW FORMAT) - SERIAL NUMBER
2D BAR CODE OF SERIAL NUMBER



- ⑪. "HF" PRODUCT NUMBERS DESIGNATE THE USE OF HALOGEN FREE RAW CABLE.
- ⑫. HALOGEN FREE RAW CABLE CAN BE USED AS A SUBSTITUTE ON NON-HF PRODUCT NUMBERS.
- 13. LONGER LENGTH APPLICATIONS REQUIRE HOST SYSTEM PREMPHASIS AND/OR EQUALIZATION.
- 14. PRODUCT CAPABILITY MATRIX SHOWS THE MINIMUM RECOMMENDED CABLE GAUGE PER LENGTH TO MEET THE PERFORMANCE LEVEL OF EACH INDUSTRY STANDARD.
- 15. RAW CABLE IS OPTIONAL WHICH HAD BEEN QUALIFIED BY FCI AND MEET FCI PRODUCT SPEC GS-12-622

PRODUCT CAPABILITY MATRIX (SEE NOTE 14)										
PERFORMANCE LEVEL	CABLE LENGTH / AWG									
	1M	2M	3M	4M	5M	6M	7M	8M	9M	10M
Infiniband - QDR	30	30	30	28	26	24				
Infiniband - DDR	30	30	30	28	28	26	26	24	24	24
Infiniband - SDR	30	30	30	28	28	26	26	24	24	24

- FONT SHALL BE CLEARLY VISIBLE AND BLACK IN COLOR.
- ⑥- ALL CABLE ASSEMBLIES SHALL BE 100% TESTED FOR CONTINUITY AS DEFINED IN WIRING LIST.
 - 7 - IMPEDANCE: 100Ω DIFFERENTIAL.
 - 8 - OTHER TESTING PERFORMED AS REQUIRED BY PRODUCT SPECIFICATION: GS-12-622.
 - 9 - PACKAGING OF LEAD FREE PRODUCTS MEETS LABELING AND PACKAGING PER SPECIFICATION GS-14-920. PACKAGE CABLE ASSEMBLIES PER GS-14-1272. DUST CAPS ARE TO BE ASSEMBLED PRIOR TO PACKAGING.
 - 10. A "△" SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION. THE CURRENT REVISION WILL BE SHOWN IN THE SYMBOL.



Copyright FCI.

spec ref				dr		Deborah Ingram		2009/07/20		projection		mm		size		A3		scale		3:10													
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Shawn Xu		2015/10/25						ecn no		ELX-N-22246-1															
						chr		-		-																							
						appr		Frank Mao		2015/10/25														product family									
surface		linear		0.X		±0.3				title						FINAL ASSEMBLY						dwg no		10093084						rev		N	
				0.XX		±0.10																											
				0.XXX		±0.050																											
		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw						sheet 6 of 6													

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

10093084-1005LF	10093084-1010LF	10093084-2005LF	10093084-2010LF	10093084-2015LF	10093084-2020LF
10093084-2025LF	10093084-2030LF	10093084-3005LF	10093084-3010LF	10093084-3015LF	10093084-3020LF
10093084-3025LF	10093084-3030LF	10093084-3035LF	10093084-3040LF	10093084-3045LF	10093084-3050LF
10093084-4005LF	10093084-4010LF	10093084-4015LF	10093084-4020LF	10093084-4025LF	10093084-4030LF
10093084-4035LF	10093084-4040LF	10093084-4045LF	10093084-4050LF	10093084-4055LF	10093084-4060LF
10093084-4065LF	10093084-4070LF	10093084-5005LF	10093084-5010LF	10093084-5015LF	10093084-5020LF
10093084-5025LF	10093084-5030LF	10093084-5035LF	10093084-5040LF	10093084-5045LF	10093084-5050LF
10093084-5055LF	10093084-5060LF	10093084-5065LF	10093084-5070LF	10093084-5075LF	10093084-5080LF
10093084-5085LF	10093084-5090LF	10093084-5095LF	10093084-5100LF	10093084-1005HFLF	10093084-
2005HFLF	10093084-2010HFLF	10093084-2015HFLF	10093084-2020HFLF	10093084-2025HFLF	10093084-
2030HFLF	10093084-3005HFLF	10093084-3010HFLF	10093084-3015HFLF	10093084-3020HFLF	10093084-
3025HFLF	10093084-3030HFLF	10093084-3035HFLF	10093084-3040HFLF	10093084-3045HFLF	10093084-
3050HFLF	10093084-4005HFLF	10093084-4010HFLF	10093084-4015HFLF	10093084-4020HFLF	10093084-
4025HFLF	10093084-4030HFLF	10093084-4035HFLF	10093084-4040HFLF	10093084-4045HFLF	10093084-
4050HFLF	10093084-4055HFLF	10093084-4060HFLF	10093084-4065HFLF	10093084-4070HFLF	10093084-
5005HFLF	10093084-5010HFLF	10093084-5015HFLF	10093084-5020HFLF	10093084-5025HFLF	10093084-
5030HFLF	10093084-5035HFLF	10093084-5040HFLF	10093084-5045HFLF	10093084-5050HFLF	10093084-
5055HFLF	10093084-5060HFLF	10093084-5065HFLF	10093084-5070HFLF	10093084-5075HFLF	10093084-
5080HFLF	10093084-5085HFLF				