



Quality Products. Service Excellence.

Server Rack Cabinet C4RR Series

UL 2416 Rated 3,000 lbs|1,361 kg Weight Capacity



When you need cabinets quickly, our pre-assembled C4RR are a great option. Based off of our most popular requested configurations, each cabinet is factory configured and is packaged ready-to-ship. [Click here to view our C4 Series' components.](#)

Features

- Constructed in:
 - 14-gauge steel (body)
 - 16-gauge steel (doors and side panels)
 - 10-gauge steel (tapped mounting rails)
 - 12-gauge steel (square hole mounting rails)
- EIA-310-D compliant 10-32 tapped or square hole punched rails with rack unit labels.
- Zinc-plated mounting rails provide superior surface areas for equipment grounding.
- The 30" wide C4 rails have cable-tie support and pass-through holes.
- The 24" wide C4 includes:
 - Generous cabling space
 - Four (4) 3.5" wide cable entry holes on the top
- The 30" wide C4 includes:
 - Extra generous cabling space
 - Support for up to four optional 4" deep vertical cable managers
- Vertical cable trays are available for both 24" and 30" width cabinets
- Vertical cable managers feature magnetic latching doors, and 3.5" wide x 4" deep cable space and are available for 30" width cabinets



Specifications

- UL Listed 2416 rated for up to 3,000 lbs (1,361 kg) static load rating.
- Infinite-depth setting using C-channel struts.
- Zinc-plated mounting rails provide superior surface areas for equipment grounding.
- Four (4) leveling feet are included with support for optional casters.
- Grounding studs provided on frame as well as side panels and doors.
- Finished in textured black powder paint. Additional colours available upon request.
- TAA Compliant.
- RoHS Compliant.
- Manufactured in North America.

Included Components

- All configurations include:
 - One (1) Welded C4 Cabinet Frame with Top Cable Entry Holes
 - Two (2) Removable Side Panels (with 1/4 turn latches)
 - Four (4) Leveling Feet
 - Eight (8) Keys
 - Starter pack of (50) 10-32 Screws and cage nuts.
- **C4RR Data Cabinet Specific Components include:**
 - Two (2) Pairs infinitely adjustable square hole rails
 - One (1) Plexi Front Door

- One (1) Perforated Rear Door (65% Open Area Vented)*
 - One (1) Four (4) Fan cutout Top Panel
 - One (1) Vertical Cable Tray with Toolless PDU Mounting
- **C4RR Server Cabinet Specific Components include:**
 - Two (2) Pairs infinitely adjustable square hole rails
 - One (1) Perforated Front Door (65% Open Area Vented)*
 - One (1) Split Perforated Rear Door (65% Open Area Vented)*
 - One (1) Four (4) Fan cutout Top Panel
 - Two (2) Vertical Cable Trays with Toolless PDU Mounting

Accessories

- Cabinet Top Panels
- Universal Rack Shelf
- Rack Mount Locking Storage Drawer
- Rack Unit Label
- Adjustable Depth Cable Manager
- Horizontal Ring Cable Manager
- Horizontal Steel Finger Cable Manager
- Horizontal Hinged Cable Manager
- Vertical Cable Tray
- Mounting Hardware
- Outlet Strips
- Side Panel Locking Kit
- Four Post Mounting Sliding Shelf
- Adjustable Depth Shelf
- Sliding Keyboard Shelf
- Horizontal Lacing Strip
- Horizontal Finger Cable Manager
- Vertical Cable Manager with Door
- Cable Management Arm
- Grounding
- Rack Panels
- Cabinet Caster Set

C4RR Data Cabinet

Part No.	Overall Dimensions			Rack Units	Usable Mounting Dimensions		
	Height	Width	Depth		Height	Width	Depth
C4RR247336DBK1	80.08	24.00	36.00	42U	73.50	19.00	34.00
C4RR247342DBK1	80.08	24.00	42.00	42U	73.50	19.00	40.00
C4RR247731DBK1	83.58	24.00	31.50	44U	77.00	19.00	29.50
C4RR247736DBK1	83.58	24.00	36.00	44U	77.00	19.00	34.00
C4RR307736DBK1	83.58	30.00	36.00	44U	77.00	19.00	34.00
C4RR307742DBK1	83.58	30.00	42.00	44U	77.00	19.00	40.00

Overall height includes leveling feet.

C4RR Server Cabinet

Part No.	Overall Dimensions			Rack Units	Usable Mounting Dimensions			Have you seen our H1 Series?
	Height	Width	Depth		Height	Width	Depth	
C4RR247331SBK1	80.08	24.00	31.50	42U	73.50	19.00	29.50	
C4RR247336SBK1	80.08	24.00	36.00	42U	73.50	19.00	34.00	
C4RR247342SBK1	80.08	24.00	42.00	42U	73.50	19.00	40.00	H12442U42BK
C4RR247736SBK1	83.75	24.00	36.00	44U	77.00	19.00	34.00	
C4RR247742SBK1	83.75	24.00	42.00	44U	77.00	19.00	40.00	H12445U42BK
C4RR307731SBK1	83.75	30.00	31.50	44U	77.00	19.00	29.50	
C4RR307736SBK1	83.75	30.00	36.00	44U	77.00	19.00	34.00	
C4RR307742SBK1	83.75	30.00	42.00	44U	77.00	19.00	40.00	H13045U42BK

Overall height includes leveling feet.

Tags: Server Rack Enclosure Cabinet, Rack Enclosure, Network Shelter, Net Shelter

Data subject to change without notice

© 2020. Hammond Manufacturing Ltd. All rights reserved.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hammond:](#)

[C4RR247342DBK1](#) [C4RR307736SBK1](#) [C4RR307742DBK1](#) [C4RR307736DBK1](#) [C4RR307742SBK1](#)
[C4RR307731DBK1](#) [C4RR247342SBK1](#)