

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

D

C

B

A


REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS OTHERWISE SPECIFIED:

| | |
|--------|---|
| 0 PLC | ± |
| 1 PLC | ± |
| 2 PLC | ± |
| 3 PLC | ± |
| 4 PLC | ± |
| ANGLES | ± |

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

TE Connectivity

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

C-

SCALE

SHEET OF

REV

1470-19 (3/11)

Pro/ENGINEER DRAWING

[illegible]

This exploded view diagram illustrates the assembly of a mechanical component, likely a valve or actuator. The central part is a main body (46) with a threaded rod (24) and a handle (33). Various sub-assemblies are shown around it, including a top cover (39, 38), a bottom cover (31, 20), and a side plate (66, 67). The diagram includes numerous numbered parts (1-61) and assembly instructions such as "2.5 REF [.098 IN]" and "C".



Key components and their assembly sequence are indicated by the following numbers and labels:

- Top Cover:** 39, 38, 45, 63, 44, 46
- Bottom Cover:** 31, 20, 50, 52, 51
- Side Plate:** 66, 67, 20, 21, 19, 22
- Internal Components:** 1, 2, 3, 4, 5, 28, 41, 57, 5
- Assembly Instructions:** 2.5 REF [.098 IN], C

The diagram shows the relationship between these components, with lines indicating the assembly path and the final assembled state.

- * WARNING:

| | | | |
|---|---|---|---------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | A | SEE ECN 015A-0246-0 |
| P | E | U | REVISION RECORD |

| | | | | | | | |
|---|--|-------------------------------|--|----------------------------|--|--|-----------------|
| DIMENSIONS: mm [INCHES] | | MATL | | HT TR | | FIN | |
| DO NOT SCALE PRINT. | | - | | - | | - | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | DR 16JUL03 | | APP 16JUL03 | | F.BACHHAUST | |
| 1 PLC DEC - | | M. CLIFFORD | | REL 31MAR04 | |  AMP Incorporated Harrisburg, PA 17105-3608 | |
| 2 PLC DEC - | | CHK - | | L.L.OFHOUSE | | | |
| 3 PLC DEC - | | | | | | | |
| ANGLES + | | NAME | | FINE ADJ SIDE FD HD-I APPL | | | MACHINE REF |
| SURF TEXTURE:  | | SCALE | | DWG NO 1528213 | | | HD-I APP |
| 4 REMOVE BURRS, BREAK SHARP EDGES TO .38 MAX | | D | | | | | SHEET 1 OF 1 |
| CARE CODE 00779 | | CUSTOMER AND ASSEMBLY DRAWING | | | | | RESTRICTED TO - |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1528213-2](#)