

Type 2 surge protection replacement module - VAL-SQ CC 40-120/208Y - 2803881

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Surge protection device for 120/208 V AC Wye configurations. Uses a compact, NEMA rated enclosure that connects easily to an existing enclosure. Hybrid Sine Wave Tracking provides 40 kA surge protection.

Product Description

Surge protection device for 120/208 V AC systems with 40 kA protection

RoHS

Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 316101
GTIN	4046356316101

Technical data

Dimensions

Height	63 mm
Width	190 mm
Depth	108 mm

Ambient conditions

Degree of protection	IP40 / NEMA 1
Ambient temperature (operation)	-40 °C ... 60 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C
Altitude	3658 m

General

NEMA power supply system	120/208 V AC Wye
Housing material	Metal
Mounting type	3/4 inch NPT male
Type	Parallel hybrid

Type 2 surge protection replacement module - VAL-SQ CC 40-120/208Y - 2803881

Technical data

General

Surge protection fault message	optical
Direction of action	3L-N & N-GND

Protective circuit

Maximum continuous operating voltage U_c	150 V
Response time t_A	< 1 ns

Connection, protective circuit

Connection method	#10 AWG/5.26 mm ² wires (24 in./61 cm long)
Connection technology	3-wire + Gnd
Conductor cross section AWG min.	10
Conductor cross section AWG max.	10

Standards and Regulations


Standards/regulations	UL 1449 2 nd edition, February 2007
	UL 1283
	IEEE C62.41
	IEEE C62.45

NEMA / UL data

UL type	type 2
Maximum Surge Current per Phase	40 kA
Short-circuit current rating (SCCR)	22 kA
Maximum Circuit Breaker	30 A

Drawings

Circuit diagram



Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2803881](#)