


LOC		DIST		REVISIONS				
AD	00	P	LYR	DESCRIPTION	DATE	OWN	APVD	
		B		REVISED PER ECO-11-025276	04JAN12	KH	DY	



1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.

2 FINISH:
30µ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.

3 FINISH:
30µ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD
ON PCB TAILS, NICKEL OVERALL.





NOTCH DESIGNATES
ROW A



288X Ø0.39±0.05
⊕ Ø0.10
PLATED THRU HOLE

UNGUIDED
BACKPLANE HOLE PATTERN
(CONNECTOR SIDE)



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN J. K. SHOBER 25JAN2011	TE Connectivity	
DIMENSIONS:		CHK J. EABY 25JAN2011		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. EABY 25JAN2011	NAME	IMPACT, 6 PAIR, 16 COLUMN, HEADER
	3 PLG ±0.25	PRODUCT SPEC	UNGUIDED, RIGHT END WALL	
	5 PLG ±0.13	APPLICATION SPEC	SIGNAL MODULE, 0.39 PTH	
MATERIAL	FINISH SEE TABLE	WEIGHT	SIZE	CAGE CODE
			A100779	C=2007903
CUSTOMER DRAWING		SCALE	4:1	SHEET 1 OF 2
		REV	B	

LOC		DIST		REVISIONS					
AD	00	P	LYR	DESCRIPTION			DATE	DWN	APVD
		-	-	SEE SHEET 1			-	-	-

	5.5	2007903-6
	4.9	2007903-5
	4.5	2007903-4
	5.5	2007903-3
	4.9	2007903-2
	4.5	2007903-1
FINISH	DIM M	PART NUMBER

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	J. K. SHOBER	25JAN2011	TE Connectivity			
				CHK	J. EABY	25JAN2011				
				APVD	J. EABY	25JAN2011	NAME	IMPACT, 6 PAIR, 16 COLUMN, HEADER UNGUIDED, RIGHT END WALL SIGNAL MODULE, 0.39 PTH		
							PRODUCT SPEC			
							APPLICATION SPEC			
							SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
							A100779C=2007903			-
							CUSTOMER DRAWING			
							SCALE	5:1	SHEET	2 OF 2
										REV B

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2007903-1](#)