





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - TE Connectivity ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
H		REVISED PER 0G3B-0179-05	4/22/05	SS	GS
J		REVISED PER ECO-17-011181	03AUG2017	RS	MZ



RECOMMENDED PC BOARD LAYOUT



- 1 NYLON, RED.
- 2 PHOSPHOR BRONZE.
- 3 3.81µm [.000150] MIN TIN-LEAD OVER 1.27µm [.000050] MIN NICKEL.
- 4 0.76µm [.000030] MIN GOLD FOR A LENGTH OF 5.08 [.200] MIN FROM MATING END, 3.81µm [.000150] MIN TIN-LEAD FOR A LENGTH OF 5.36 [.211] MIN FROM OPPOSITE END, BOTH OVER 1.27µm [.000050] MIN NICKEL.
- 5 3.81µm [.000150] MIN TIN OVER 1.27µm [.000050] MIN NICKEL.
- 6 0.76µm [.000030] MIN GOLD FOR A LENGTH OF 5.08 [.200] MIN FROM MATING END, 3.81µm [.000150] MIN TIN FOR A LENGTH OF 5.36 [.211] MIN FROM OPPOSITE END, BOTH OVER 1.27µm [.000050] MIN NICKEL.

	6	207615-7
	5	207615-6
OBSOLETE	4	207615-3
	3	207615-1
CONTACT FINISH		PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	L.SIPE	08/07/92			
		CHK	R.STONE	8-25-92			
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME		
		0 PLC	± -	PRODUCT SPEC	SOCKET HEADER ASSEMBLY, 16 POSN, IN-LINE, METRIMATE		
		1 PLC	± -	APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO
		2 PLC	± 0.25 [.010]		A2	00779	C=207615
		3 PLC	± -		RESTRICTED TO		
MATERIAL		FINISH		WEIGHT	SCALE		
HOUSING: 1		CONTACTS: SEE TABLE			2:1		
CUSTOMER DRAWING				SHEET	1 of 1		
				REV	J		

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[207615-7](#)