







LOC		DIST		REVISIONS			
FX		00		REV	DESCRIPTION	DATE	OWN
				D1	REVISED PER ECR 07-029132	07JAN2008	DLD WTW
				E	REVISED PER ECR 07-030366	08JAN2008	DLD WTW
				F	REVISED PER ECO 08-006962	19MAR2008	DLD WTW



- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND SHEET 3, 4 AND 5 FOR PIN-OUT CHARTS

TOLERANCES UNLESS OTHERWISE SPECIFIED:				TYPICAL DIMENSIONS:		MATERIAL		FINISH		WEIGHT		CUSTOMER DRAWING	
0 PLC				±		SEE CHART ON SHEET 2		-		SEE NOTE 5		-	
1 PLC				±0.3									
2 PLC				±0.10									
3 PLC				±									
4 PLC				±									
ANGLES				±									
FINISH				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									

[illegible][illegible]AMP 4805 REV 31MAR2000

LOC	DIST	REVISONS						
		P	LTR	DESCRIPTION				DATE
FX	00	-	-	SEE SHEET 1				-
								-
								-
								-

PIN OUT CHART																																																																																																																																																																																																													
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																																																																																																																																																																																													
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																																																																																																																																																																																													
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION																																																																																																																																																																				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40																																																																																																																																																																						
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G																																																																																																																																																																			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26								35	36	37	37	39	40	6-1924170-7	G																																																																																																																																																																				
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24			27	28	29	30						35	36	37	37	39	40	6-1924170-8	G																																																																																																																																																																			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24											35	36	37	37	39	40	6-1924170-9	G																																																																																																																																																																				
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30							37	38	39	40	7-1924170-0	G																																																																																																																																																																				
				5	6	7	8	9	10	11	12	13	14	15	16								24											35	36	37	38	39	40	7-1924170-1	G																																																																																																																																																																				
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G																																																																																																																																																																				
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G																																																																																																																																																																				
											11	12											24																		7-1924170-4	G																																																																																																																																																																			
1	2										11	12	13	14	15	16							24																		7-1924170-5	G																																																																																																																																																																			
											11	12																				32					37	38	39	40	7-1924170-6	G																																																																																																																																																																			
											11	12											24																		7-1924170-7	G																																																																																																																																																																			
											11	12							19	20																					7-1924170-8	G																																																																																																																																																																			
											11	12							19	20				24										33	34						7-1924170-9	G																																																																																																																																																																			
						7	8	9	10	11	12								19	20														33	34						8-1924170-0	G																																																																																																																																																																			
						7	8	9	10	11	12																										37	38	39	40	8-1924170-1	G																																																																																																																																																																			
								9	10	11	12						17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G																																																																																																																																																																		
				5	6	7	8	9	10	11	12	13	14	15	16																						37	38			8-1924170-3	G																																																																																																																																																																			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20															33	34		37	38	39	40	8-1924170-4	G																																																																																																																																																																		
						7	8	9	10	11	12	13	14	15	16			19	20																33	34		37	38	39	40	8-1924170-5	G																																																																																																																																																																		
1	2					7	8	9	10	11	12		14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G																																																																																																																																																																				
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-7	G																																																																																																																																																																			
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G																																																																																																																																																																			
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G																																																																																																																																																																			
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G																																																																																																																																																																				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				21	22		24			27	28	29	30						35	36	37	38			9-1924170-1	G																																																																																																																																																																				
		3	4	5	6						11	12											24											35	36	37	38	39	40	9-1924170-2	G																																																																																																																																																																				
						7	8	9	10	11	12												24												35	36	37	38			9-1924170-3	G																																																																																																																																																																			
											11	12											24												35	36	37	38	39	40	9-1924170-4	G																																																																																																																																																																			
		3	4	5	6						11	12							19	20																		39	40	9-1924170-5	G																																																																																																																																																																				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G																																																																																																																																																																				
						7	8	9	10	11	12	13	14	15	16			19	20				24											33	34		37	38	39	40	9-1924170-7	G																																																																																																																																																																			
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24											33	34		37	38	39	40	9-1924170-8	G																																																																																																																																																																			
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	9-1924170-9	G																																																																																																																																																																				
						7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	0-1924171-1	G																																																																																																																																																																				
											11	12						19	20																						0-1924171-2	G																																																																																																																																																																			
		3	4	5	6	7	8	9	10	11	12							19	20				24															39	40	0-1924171-3	G																																																																																																																																																																				
						7	8	9	10	11	12																							33	34						0-1924171-4	G																																																																																																																																																																			
											11	12																						33	34						0-1924171-5	G																																																																																																																																																																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	0-1924171-6	G																																																																																																																																																																				
						7	8	9	10	11	12												24												35	36					0-1924171-7	G																																																																																																																																																																			
											11	12	13	14	15	16							24																		0-1924171-8	G																																																																																																																																																																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-1924171-9	G																																																																																																																																																																				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21			24		26	27	28	29	30					35	36	37	38	39	40	1-1924171-0	G																																																																																																																																																																				

LOC	DIST	REVISIONS					
		F	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																													
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																													
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																													
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER		KEYING OPTION							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36				37	38	39	40			
											11	12																												0-1924172-1	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22															35	36	37	38	39	40	0-1924172-2	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																					35	36	37	38	39	40	0-1924172-3	G	
							7	8	9	10	11	12	13	14	15	16																						35	36	37	38	39	40	0-1924172-4	G
							7	8	9	10	11	12																										35	36	37	38	39	40	0-1924172-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22			24					27	28	29	30					35	36	37	38	39	40	0-1924172-6	G	
							7	8	9	10	11	12					17	18																				35	36	37	38	39	40	0-1924172-7	G
							7	8	9	10	11	12	13	14	15	16	17	18																				35	36	37	38	39	40	0-1924172-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22								27	28	29	30					35	36	37	38	39	40	0-1924172-9	G	
							7	8	9	10	11	12												24													35	36	37	38	39	40	1-1924172-0	G	
							7	8	9	10	11	12	13	14	15	16								24													35	36	37	38	39	40	1-1924172-1	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24			26	27	28	29	30					35	36	37	38	39	40	1-1924172-2	G		
1	2					7	8	9	10	11	12						17	18			21	22															35	36	37	38	39	40	1-1924172-3	G	
			3	4	5	6					11	12												24													35	36	37	38	39	40	1-1924172-4	G	
			3	4	5	6																		24													35	36	37	38	39	40	1-1924172-5	G	
			3	4	5	6					11	12												24													35	36	37	38	39	40	1-1924172-6	G	

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
											11	12																											0-1924173-1	H				
							7	8	9	10	11	12							19	20				24													37	38	39	40	0-1924173-2	H		
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24				27	28	29	30							37	38	39	40	0-1924173-3	H	
1	2	3	4						9	10	11	12	13	14	15	16					21	22						27	28	29	30									39	40	0-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22	23	24	25	26	27	28	29	30	31	32	33	34				37	38	39	40	0-1924173-5	H		
									9	10	11	12																											39	40	0-1924173-6	H		
							7	8	9	10	11	12												24													35	36	37	38	39	40	0-1924173-7	H
							7	8	9	10	11	12												24																	40	0-1924173-8	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				20	21	22						27	28	29	30	31	32					37	38	39	40	0-1924173-9	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30	31	32					37	38	39	40	1-1924173-0	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-1	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30						37	38	39	40	1-1924173-2	H			
									9	10	11	12					17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	1-1924173-3	H		
1	2						7	8	9	10	11	12	13	14	15	16					21	22					27	28	29	30	31	32					37	38	39	40	1-1924173-4	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924173-5	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-6	H		
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-7	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21		23		25	26	27	28	29	30	31	32	33	34			37	38	39	40	1-1924173-8	H			
			3	4	5	6					11	12								19	20																	39	40	1-1924173-9	H			
			3	4	5	6					11	12								19	20						24											39	40	2-1924173-0	H			
			3	4	5	6					11	12								19	20						24											39	40	2-1924173-1	H			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1924170-8](#)