



E

D

C


B

A





注記 NOTES

1. 製品詳細寸法については製品単体図面を参照下さい。
RE DETAILED DIMENSION, SEE PRODUCT DRAWING.
2. 梱包数量：3000個/リール
NUMBER OF CONNECTORS：3000PCS/REEL
3. リードテープ長さ
LEAD TAPE LENGTH
4. カバーテープの剥離強度については、IEC60286-3に準拠
COVER TAPE PEEL FORCE IS DEFINED BY IEC60286-3.
5. 材料 MATERIAL
キャリアテープ (CARRIER TAPE)：ポリスチレン (POLYSTYRENE)
トップテープ (TOP TAPE)：PET,OTHER
リール (REEL)：ポリスチレン (PS) <リサイクル材を含む>
POLYSTYRENE (PS) <RECYCLE MATERIAL CONTAINED >
6. 1リール/3000個内において、欠品はなきこと
THERE SHALL BE NO MISSING PRODUCT.
7. ELV及びRoHS適合品
ELV AND RoHS COMPLIANT.




MODEL No. 503304-**40

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
EC NO: 108474 DRWN: JFURUKAWA CHK'D: TASAKAWA APPR: TKUSUHARA01	2016/02/01 2016/10/24 2016/10/25	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® 0.4 BB CONN. H=0.7 REC. ASSY EMBSTP PKG					
				MM		1:1							
		ANGULAR TOL ± 3.0 °		DRWN BY		DATE		PRODUCT CUSTOMER DRAWING					
		4 PLACES ± 0.03		JFURUKAWA		2016/02/01							
		3 PLACES ± 0.03		CHK'D BY		DATE							
		2 PLACES ± 0.05		TASAKAWA		2016/10/24							
		1 PLACE ± 0.1		APPR BY		DATE							
		0 PLACES ± 0.2		TKUSUHARA01		2016/10/25		SERIES		MATERIAL NUMBER		CUSTOMER	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		503304		SEE CHART		GENERAL	
A3						DOCUMENT NUMBER		DOC TYPE		DOC PART			
						5033040000		PSD		000			
A	REV	SHEET NUMBER 1 OF 3											




16	21.4	17.4	7.52	503304-2640	○	26
			7.12	503304-2440	○	24
			6.32	503304-2040	○	20
			5.92	503304-1840	○	18
			5.52	503304-1640	○	16
			4.72	503304-1240	○	12
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	EMBOSSED PACKAGE	HIGH VOL. TOOL	極数 CKT.
				オーダー番号 ORDER No.	SAMPLE PREPARATION	
				MODEL No. 503304-**40		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 108474 DRWN: JFURUKAWA CHK'D: TASAKAWA APPR: TKUSUHARA01	2016/02/01 2016/10/24 2016/10/25	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®					
		ANGULAR TOL ± 3.0 °		MM		2:1							
		4 PLACES	± 0.03	DRWN BY		DATE		0.4 BB CONN. H=0.7 REC. ASSY EMBSTP PKG					
		3 PLACES	± 0.03	JFURUKAWA		2016/02/01							
		2 PLACES	± 0.05	CHK'D BY		DATE							
		1 PLACE	± 0.1	TASAKAWA		2016/10/24		PRODUCT CUSTOMER DRAWING					
	0 PLACES	± 0.2	APPR BY		DATE								
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		TKUSUHARA01		2016/10/25								
	A	REV	DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER		
			A3				503304		SEE CHART		GENERAL		
						DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
						5033040000		PSD		000		2 OF 3	

RELEASE STATUS	P1	RELEASE DATE	25.10.2016	04:17:11
----------------	----	--------------	------------	----------



9 8 7 6 5 4 3 2 1

E

← 引き出し方向
PULL OUT DIRECTION


トップテープ
TOP TAPE

YA

(2.66)

(1.33)

(3.12)



SECTION YA-YA

SECTION XA-XA
SCALE 4:1


0.3 ±0.05

(1.18)


24mm幅キャリアテープ
24mm WIDTH CARRIER TAPE

24	29.4	25.4	14.32	503304-6040	○	60
			12.32	503304-5040	○	50
			11.12	503304-4440	○	44
			10.72	503304-4240	○	42
			10.32	503304-4040	○	40
			8.32	503304-3040	○	30
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	EMBOSSED PACKAGE		HIGH VOL. TOOL
				オーダー番号 ORDER No.		SAMPLE PREPARATION
				MODEL No. 503304-**40		極数 CKT.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 108474 DRWN: JFURUKAWA CHK'D: TASAKAWA APPR: TKUSUHARA01		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®									
				MM		2:1											
				ANGULAR TOL ± 3.0 °		DRWN BY		DATE		0.4 BB CONN. H=0.7 REC. ASSY EMBSTP PKG							
						JFURUKAWA		2016/02/01									
				4 PLACES ± 0.03		CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING							
				3 PLACES ± 0.03		TASAKAWA		2016/10/24									
				2 PLACES ± 0.05		APPR BY		DATE		503304 SEE CHART GENERAL							
				1 PLACE ± 0.1		TKUSUHARA01		2016/10/25									
				0 PLACES ± 0.2		DRAWING SIZE		THIRD ANGLE PROJECTION		DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3				5033040000		PSD		000		3 OF 3	

RELEASE STATUS	P1	RELEASE DATE	25.10.2016	04:17:11
----------------	----	--------------	------------	----------



注記 NOTES

- 製品詳細寸法については製品単体図面を参照下さい。
DETAIL DIMENSIONS, SEE PRODUCT DRAWING.
- 梱包数量 : 9000個/リール
NUMBER OF CONNECTORS : 9000PCS/REEL
- リードテープ長さ
LEAD TAPE LENGTH
20PCS.MIN. トップテープ接着部 (空エンボス)
TOP TAPE BONDED PART (EMPTY)
引き出し方向
PULL OUT DIRECTION
トップテープリーダー部
TOP TAPE LEADER PART
部品挿入部
COMPONENT SUPPLIER
末端部(空部)
TAIL PART (EMPTY)
400MIN. 40MIN.
- カバーテープの剥離強度については、IEC60286-3に準拠
COVER TAPE PEEL FORCE IS DEFINED BY IEC60286-3.
- 材料 MATERIAL
キャリアテープ (CARRIER TAPE) : ポリスチレン (POLYSTYRENE)
トップテープ (TOP TAPE) : PET,OTHER
リール (REEL) : ポリスチレン (PS) <リサイクル材を含む>
POLYSTYRENE (PS) <RECYCLE MATERIAL CONTAINED >
- 1リール/9000個内において、欠品はなきこと
THERE SHALL BE NO MISSING PRODUCT.
- ELV及びRoHS適合品
ELV AND RoHS COMPLIANT.

DETAIL "D"

0.4 BB CONN. H=0.7 REC. ASSY EMBSTP PKG

0.4 BB CONN. H=0.7 REC. ASSY EMBSTP PKG

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

RELEASED

EC NO: 113200
DRWN: GABE
CHK'D: KTAKAHASHI
APPR: MSASAO

2016/11/24
2017/02/21
2017/02/21

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 3.0 °

4 PLACES ± 0.03

3 PLACES ± 0.03

2 PLACES ± 0.05

1 PLACE ± 0.1

0 PLACES ± 0.2

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

A

REV

DIMENSION UNITS

MM

DRWN BY

GABE

CHK'D BY

KTAKAHASHI

APPR BY

MSASAO

DRAWING SIZE

A3

SCALE

1:1

DATE

2016/11/24

DATE

2017/02/21

DATE

2017/02/21

THIRD ANGLE PROJECTION

0.4 BB CONN. H=0.7 REC. ASSY EMBSTP PKG

PRODUCT CUSTOMER DRAWING

SERIES

503304

MATERIAL NUMBER

SEE CHART

CUSTOMER

GENERAL

DOCUMENT NUMBER

5033040001

DOC TYPE

PSD

DOC PART

000

SHEET NUMBER

1 OF 3

RELEASE STATUS

P1

RELEASE DATE

21.02.2017

05:22:40

9

8

7

6

5

4

3


2

1

FORMAT: master-lb-prod-A3

REVISION: G

DATE: 2015/12/14



SECTION Y-Y


SECTION X-X
SCALE 4:1

16mm幅キャリアテープ
16mm WIDTH CARRIER TAPE

16	21.4	17.4	7.52	503304-2642	○	26
			7.12	503304-2442	○	24
			6.32	503304-2042	○	20
			5.92	503304-1842	○	18
			5.52	503304-1642	○	16
			4.72	503304-1242	○	12
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	EMBOSSED PACKAGE	HIGH VOL. TOOL	極数 CKT.
				オーダー番号 ORDER No.	SAMPLE PREPARATION	
				MODEL No. 503304-**42		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

RELEASED EC NO: 113200 DRWN: GABE CHK'D: KTAKAHASHI APPR: MSASAO REV	2016/11/24 2017/02/21 2017/02/21	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 3.0 ° 4 PLACES ± 0.03 3 PLACES ± 0.03 2 PLACES ± 0.05 1 PLACE ± 0.1 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION UNITS MM	SCALE 2:1	molex® 0.4 BB CONN. H=0.7 REC. ASSY EMBSTP PKG			
				DRWN BY GABE	DATE 2016/11/24				
				CHK'D BY KTAKAHASHI	DATE 2017/02/21				
				APPR BY MSASAO	DATE 2017/02/21	PRODUCT CUSTOMER DRAWING			
				DRAWING SIZE A3	THIRD ANGLE PROJECTION	SERIES 503304	MATERIAL NUMBER SEE CHART	CUSTOMER GENERAL	
						DOCUMENT NUMBER 5033040001	DOC TYPE PSD	DOC PART 000	SHEET NUMBER 2 OF 3



SECTION YA-YA

SECTION XA-XA
SCALE 4:1

24mm幅キャリアテープ
24mm WIDTH CARRIER TAPE

24	29.4	25.4	14.32	503304-6042	○	60
			12.32	503304-5042	○	50
			11.12	503304-4442	○	44
			10.72	503304-4242	○	42
			10.32	503304-4042	○	40
			8.32	503304-3042	○	30
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	EMBOSSED PACKAGE	HIGH VOL. TOOL	極数 CKT.
				オーダー番号 ORDER No.	SAMPLE PREPARATION	
				MODEL No. 503304-**42		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

RELEASED EC NO: 113200 DRWN: GABE CHK'D: KTAKAHASHI APPR: MSASAO REV	2016/11/24 2017/02/21 2017/02/21	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 3.0 ° 4 PLACES ± 0.03 3 PLACES ± 0.03 2 PLACES ± 0.05 1 PLACE ± 0.1 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION UNITS		SCALE		molex® 0.4 BB CONN. H=0.7 REC. ASSY EMBSTP PKG							
				MM		2:1									
				DRWN BY		DATE		PRODUCT CUSTOMER DRAWING							
				GABE		2016/11/24									
				CHK'D BY		DATE		SERIES				MATERIAL NUMBER		CUSTOMER	
				KTAKAHASHI		2017/02/21									
				APPR BY		DATE		503304		SEE CHART		GENERAL			
				MSASAO		2017/02/21									
				DRAWING SIZE		THIRD ANGLE PROJECTION		DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
				A3											
A				5033040001		PSD		000		3 OF 3					

