







4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

OCT ,1984.

© COPYRIGHT 1984 By -

ALL RIGHTS RESERVED.

REVISIONS

変更

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

40,48,60,96 POS

30,34,50 POS

-BSC-

±0.4

3.1

5.1

9.3

POST CONTACT

5.1

CAP HOUSING

TINE

1.905

1.905

1.905

CONNECTOR MOUNTING SURFACES SIDE

P.C.B

E-E

SCALE 5:1

-BSC-

(UNACCUMULATE TOLERANCE)

1.27Xn=A

±0.05

±0.05

2.54

±0.05

1.27

±0.05

±0.05

ϕ0.8

(UPPER)

(UNDER)

C

30,34,50 POS

CONNECTOR MOUNTING SURFACE SIDE

PLACES ±0.1

2-ϕ2.6

-BSC-

(UNACCUMULATE TOLERANCE)

1.27Xn=A

±0.05

±0.05

2.54

±0.05

1.27

±0.05

±0.05

ϕ0.8

(UPPER)

(UNDER)

C

40,48,60,96 POS

CONNECTOR MOUNTING SURFACE SIDE

PLACES ±0.1

2-ϕ2.6

1 USE A P.C.B. WHOSE SURFACES ARE TREATED WITH SOLDER RESIST.

2 SHOW P.C.B LAYOUT FROM THE CONNECTOR-MOUNTING SURFACE SIDE.

3 NUMBER THE CONTACTS IN THE P.C.B OR CONNECTOR CONSECUTIVELY FROM THE -BSC- SIDE.

4 WHEN SCREWING THE CONNECTOR TO THE P.C.B, USE M2 SCREW, NUT AND WASHERS.

5 HOUSING MATERIAL : THERMOPLASTICS (UL94-V0). COLOR:BLACK

6 CONTACT MATERIAL : COPPER ALLOY

7 FINISH : NICKEL 1.27μ MIN THK. OVERALL SELECTIVE GOLD 0.76μ MIN THK ON CONTACT AREA AND TIN 1μ MIN THK ON TINE AREA.

GENERAL TOLERANCE

一般公差

10 ≥ : ±0.2

30 ≥ > 10: ±0.25

100 ≥ > 30: ±0.3

ANGLES: ±3°

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

単位: 耗

MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:

一般公差

0 PLC ± -

1 PLC ± -

2 PLC ± -

3 PLC ± -

4 PLC ± -

ANGLES ± -

MATERIAL

材料

SEE

参照

5

6

FINISH

仕上

SEE

参照

7

DWN

CHK

APVD

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING

NAME

名称

CAP ASSY VERTICAL

AMPLIMITE .050 SERIES I B-TO-B CONN.

SIZE

CAGE CODE

DRAWING NO

番号

RESTRICTED TO

A3

00779

C-5173280

SCALE

尺度

2:1

SHEET

3 OF 3

REV

B

6-	-8	96	47	59.69	65.66	69.66	73.66
6-	-6	48	23	29.21	35.18	39.18	43.18
6-	-5	34	16	20.32	26.29	30.29	34.29
6-	-4	60	29	36.83	42.80	46.80	50.80
6-	-3	50	24	30.48	36.45	40.45	44.45
6-	-2	40	19	24.13	30.10	34.10	38.10
6-5173280-1	30	14	17.78	23.75	27.75	31.75	
P/N	POS	n	A	B	C	D	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-5173280-1](#)