

4		3		2		1																																																																																																																																																																																																																																																	
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		AUG ,2006.																																																																																																																																																																																																																																																			
COPYRIGHT		BY TYCO ELECTRONICS CORPORATION.		ALL RIGHTS RESERVED.																																																																																																																																																																																																																																																			
LOC		DIST		REVISIONS																																																																																																																																																																																																																																																			
DW		—		P LTR		DATE DWN APVD																																																																																																																																																																																																																																																	
				C		REVISED (ECR-13-003844) 22APR13 JL WK																																																																																																																																																																																																																																																	
				<table><tr><td>24.50</td><td>25.60</td><td>30.43</td><td>50</td><td>5-1734839-0</td></tr><tr><td>24.00</td><td>25.10</td><td>29.93</td><td>49</td><td>4-1734839-9</td></tr><tr><td>23.50</td><td>24.60</td><td>29.43</td><td>48</td><td>4-1734839-8</td></tr><tr><td>23.00</td><td>24.10</td><td>28.93</td><td>47</td><td>4-1734839-7</td></tr><tr><td>22.50</td><td>23.60</td><td>28.43</td><td>46</td><td>4-1734839-6</td></tr><tr><td>22.00</td><td>23.10</td><td>27.63</td><td>45</td><td>4-1734839-5</td></tr><tr><td>21.50</td><td>22.60</td><td>27.43</td><td>44</td><td>4-1734839-4</td></tr><tr><td>21.00</td><td>22.10</td><td>26.93</td><td>43</td><td>4-1734839-3</td></tr><tr><td>20.50</td><td>21.60</td><td>26.43</td><td>42</td><td>4-1734839-2</td></tr><tr><td>20.00</td><td>21.10</td><td>25.93</td><td>41</td><td>4-1734839-1</td></tr><tr><td>19.50</td><td>20.60</td><td>25.43</td><td>40</td><td>4-1734839-0</td></tr><tr><td>19.00</td><td>20.10</td><td>24.93</td><td>39</td><td>3-1734839-9</td></tr><tr><td>18.50</td><td>19.60</td><td>24.43</td><td>38</td><td>3-1734839-8</td></tr><tr><td>18.00</td><td>19.10</td><td>23.93</td><td>37</td><td>3-1734839-7</td></tr><tr><td>17.50</td><td>18.60</td><td>23.43</td><td>36</td><td>3-1734839-6</td></tr><tr><td>17.00</td><td>18.10</td><td>22.93</td><td>35</td><td>3-1734839-5</td></tr><tr><td>16.50</td><td>17.60</td><td>22.43</td><td>34</td><td>3-1734839-4</td></tr><tr><td>16.00</td><td>17.10</td><td>21.93</td><td>33</td><td>3-1734839-3</td></tr><tr><td>15.50</td><td>16.60</td><td>21.43</td><td>32</td><td>3-1734839-2</td></tr><tr><td>15.00</td><td>16.10</td><td>20.93</td><td>31</td><td>3-1734839-1</td></tr><tr><td>14.50</td><td>15.60</td><td>20.43</td><td>30</td><td>3-1734839-0</td></tr><tr><td>14.00</td><td>15.10</td><td>19.93</td><td>29</td><td>2-1734839-9</td></tr><tr><td>13.50</td><td>14.60</td><td>19.43</td><td>28</td><td>2-1734839-8</td></tr><tr><td>13.00</td><td>14.10</td><td>18.93</td><td>27</td><td>2-1734839-7</td></tr><tr><td>12.50</td><td>13.60</td><td>18.43</td><td>26</td><td>2-1734839-6</td></tr><tr><td>12.00</td><td>13.10</td><td>17.93</td><td>25</td><td>2-1734839-5</td></tr><tr><td>11.50</td><td>12.60</td><td>17.43</td><td>24</td><td>2-1734839-4</td></tr><tr><td>11.00</td><td>12.10</td><td>16.93</td><td>23</td><td>2-1734839-3</td></tr><tr><td>10.50</td><td>11.60</td><td>16.43</td><td>22</td><td>2-1734839-2</td></tr><tr><td>10.00</td><td>11.10</td><td>15.93</td><td>21</td><td>2-1734839-1</td></tr><tr><td>9.50</td><td>10.60</td><td>15.43</td><td>20</td><td>2-1734839-0</td></tr><tr><td>9.00</td><td>10.10</td><td>14.93</td><td>19</td><td>1-1734839-9</td></tr><tr><td>8.50</td><td>9.60</td><td>14.43</td><td>18</td><td>1-1734839-8</td></tr><tr><td>8.00</td><td>9.10</td><td>13.93</td><td>17</td><td>1-1734839-7</td></tr><tr><td>7.50</td><td>8.60</td><td>13.43</td><td>16</td><td>1-1734839-6</td></tr><tr><td>7.00</td><td>8.10</td><td>12.93</td><td>15</td><td>1-1734839-5</td></tr><tr><td>6.50</td><td>7.60</td><td>12.43</td><td>14</td><td>1-1734839-4</td></tr><tr><td>6.00</td><td>7.10</td><td>11.93</td><td>13</td><td>1-1734839-3</td></tr><tr><td>5.50</td><td>6.60</td><td>11.43</td><td>12</td><td>1-1734839-2</td></tr><tr><td>5.00</td><td>6.10</td><td>10.93</td><td>11</td><td>1-1734839-1</td></tr><tr><td>4.50</td><td>5.60</td><td>10.43</td><td>10</td><td>1-1734839-0</td></tr><tr><td>4.00</td><td>5.10</td><td>9.93</td><td>09</td><td>0-1734839-9</td></tr><tr><td>3.50</td><td>4.60</td><td>9.43</td><td>08</td><td>0-1734839-8</td></tr><tr><td>3.00</td><td>4.10</td><td>8.93</td><td>07</td><td>0-1734839-7</td></tr><tr><td>2.50</td><td>3.60</td><td>8.43</td><td>06</td><td>0-1734839-6</td></tr><tr><td>2.00</td><td>3.10</td><td>7.93</td><td>05</td><td>0-1734839-5</td></tr><tr><td>C</td><td>B</td><td>A</td><td>POS.</td><td>PART NUMBER</td></tr><tr><td colspan="2">DIMENSIONS</td><td colspan="3"></td></tr></table>				24.50	25.60	30.43	50	5-1734839-0	24.00	25.10	29.93	49	4-1734839-9	23.50	24.60	29.43	48	4-1734839-8	23.00	24.10	28.93	47	4-1734839-7	22.50	23.60	28.43	46	4-1734839-6	22.00	23.10	27.63	45	4-1734839-5	21.50	22.60	27.43	44	4-1734839-4	21.00	22.10	26.93	43	4-1734839-3	20.50	21.60	26.43	42	4-1734839-2	20.00	21.10	25.93	41	4-1734839-1	19.50	20.60	25.43	40	4-1734839-0	19.00	20.10	24.93	39	3-1734839-9	18.50	19.60	24.43	38	3-1734839-8	18.00	19.10	23.93	37	3-1734839-7	17.50	18.60	23.43	36	3-1734839-6	17.00	18.10	22.93	35	3-1734839-5	16.50	17.60	22.43	34	3-1734839-4	16.00	17.10	21.93	33	3-1734839-3	15.50	16.60	21.43	32	3-1734839-2	15.00	16.10	20.93	31	3-1734839-1	14.50	15.60	20.43	30	3-1734839-0	14.00	15.10	19.93	29	2-1734839-9	13.50	14.60	19.43	28	2-1734839-8	13.00	14.10	18.93	27	2-1734839-7	12.50	13.60	18.43	26	2-1734839-6	12.00	13.10	17.93	25	2-1734839-5	11.50	12.60	17.43	24	2-1734839-4	11.00	12.10	16.93	23	2-1734839-3	10.50	11.60	16.43	22	2-1734839-2	10.00	11.10	15.93	21	2-1734839-1	9.50	10.60	15.43	20	2-1734839-0	9.00	10.10	14.93	19	1-1734839-9	8.50	9.60	14.43	18	1-1734839-8	8.00	9.10	13.93	17	1-1734839-7	7.50	8.60	13.43	16	1-1734839-6	7.00	8.10	12.93	15	1-1734839-5	6.50	7.60	12.43	14	1-1734839-4	6.00	7.10	11.93	13	1-1734839-3	5.50	6.60	11.43	12	1-1734839-2	5.00	6.10	10.93	11	1-1734839-1	4.50	5.60	10.43	10	1-1734839-0	4.00	5.10	9.93	09	0-1734839-9	3.50	4.60	9.43	08	0-1734839-8	3.00	4.10	8.93	07	0-1734839-7	2.50	3.60	8.43	06	0-1734839-6	2.00	3.10	7.93	05	0-1734839-5	C	B	A	POS.	PART NUMBER	DIMENSIONS				
24.50	25.60	30.43	50	5-1734839-0																																																																																																																																																																																																																																																			
24.00	25.10	29.93	49	4-1734839-9																																																																																																																																																																																																																																																			
23.50	24.60	29.43	48	4-1734839-8																																																																																																																																																																																																																																																			
23.00	24.10	28.93	47	4-1734839-7																																																																																																																																																																																																																																																			
22.50	23.60	28.43	46	4-1734839-6																																																																																																																																																																																																																																																			
22.00	23.10	27.63	45	4-1734839-5																																																																																																																																																																																																																																																			
21.50	22.60	27.43	44	4-1734839-4																																																																																																																																																																																																																																																			
21.00	22.10	26.93	43	4-1734839-3																																																																																																																																																																																																																																																			
20.50	21.60	26.43	42	4-1734839-2																																																																																																																																																																																																																																																			
20.00	21.10	25.93	41	4-1734839-1																																																																																																																																																																																																																																																			
19.50	20.60	25.43	40	4-1734839-0																																																																																																																																																																																																																																																			
19.00	20.10	24.93	39	3-1734839-9																																																																																																																																																																																																																																																			
18.50	19.60	24.43	38	3-1734839-8																																																																																																																																																																																																																																																			
18.00	19.10	23.93	37	3-1734839-7																																																																																																																																																																																																																																																			
17.50	18.60	23.43	36	3-1734839-6																																																																																																																																																																																																																																																			
17.00	18.10	22.93	35	3-1734839-5																																																																																																																																																																																																																																																			
16.50	17.60	22.43	34	3-1734839-4																																																																																																																																																																																																																																																			
16.00	17.10	21.93	33	3-1734839-3																																																																																																																																																																																																																																																			
15.50	16.60	21.43	32	3-1734839-2																																																																																																																																																																																																																																																			
15.00	16.10	20.93	31	3-1734839-1																																																																																																																																																																																																																																																			
14.50	15.60	20.43	30	3-1734839-0																																																																																																																																																																																																																																																			
14.00	15.10	19.93	29	2-1734839-9																																																																																																																																																																																																																																																			
13.50	14.60	19.43	28	2-1734839-8																																																																																																																																																																																																																																																			
13.00	14.10	18.93	27	2-1734839-7																																																																																																																																																																																																																																																			
12.50	13.60	18.43	26	2-1734839-6																																																																																																																																																																																																																																																			
12.00	13.10	17.93	25	2-1734839-5																																																																																																																																																																																																																																																			
11.50	12.60	17.43	24	2-1734839-4																																																																																																																																																																																																																																																			
11.00	12.10	16.93	23	2-1734839-3																																																																																																																																																																																																																																																			
10.50	11.60	16.43	22	2-1734839-2																																																																																																																																																																																																																																																			
10.00	11.10	15.93	21	2-1734839-1																																																																																																																																																																																																																																																			
9.50	10.60	15.43	20	2-1734839-0																																																																																																																																																																																																																																																			
9.00	10.10	14.93	19	1-1734839-9																																																																																																																																																																																																																																																			
8.50	9.60	14.43	18	1-1734839-8																																																																																																																																																																																																																																																			
8.00	9.10	13.93	17	1-1734839-7																																																																																																																																																																																																																																																			
7.50	8.60	13.43	16	1-1734839-6																																																																																																																																																																																																																																																			
7.00	8.10	12.93	15	1-1734839-5																																																																																																																																																																																																																																																			
6.50	7.60	12.43	14	1-1734839-4																																																																																																																																																																																																																																																			
6.00	7.10	11.93	13	1-1734839-3																																																																																																																																																																																																																																																			
5.50	6.60	11.43	12	1-1734839-2																																																																																																																																																																																																																																																			
5.00	6.10	10.93	11	1-1734839-1																																																																																																																																																																																																																																																			
4.50	5.60	10.43	10	1-1734839-0																																																																																																																																																																																																																																																			
4.00	5.10	9.93	09	0-1734839-9																																																																																																																																																																																																																																																			
3.50	4.60	9.43	08	0-1734839-8																																																																																																																																																																																																																																																			
3.00	4.10	8.93	07	0-1734839-7																																																																																																																																																																																																																																																			
2.50	3.60	8.43	06	0-1734839-6																																																																																																																																																																																																																																																			
2.00	3.10	7.93	05	0-1734839-5																																																																																																																																																																																																																																																			
C	B	A	POS.	PART NUMBER																																																																																																																																																																																																																																																			
DIMENSIONS																																																																																																																																																																																																																																																							
NOTE:																																																																																																																																																																																																																																																							
1. MATERIAL:																																																																																																																																																																																																																																																							
HOUSING: HIGH TEMP. THERMOPLASTIC,																																																																																																																																																																																																																																																							
UL 94V-0, COLOR: NATURE.																																																																																																																																																																																																																																																							
ACTUATOR: THERMOPLASTIC, UL 94 V-0,																																																																																																																																																																																																																																																							
COLOR: IVORY.																																																																																																																																																																																																																																																							
HOLD DOWN: PHOSPHOR BRONZE.																																																																																																																																																																																																																																																							
CONTACT: PHOSPHOR BRONZE.																																																																																																																																																																																																																																																							
2. FINISH:																																																																																																																																																																																																																																																							
CONTACT: GOLD FLASH OVER ALL																																																																																																																																																																																																																																																							
50" MIN. NICKEL UNDERPLATED.																																																																																																																																																																																																																																																							
HOLD DOWN: 100u" MIN. TIN PLATING ON SOLDER AREA,																																																																																																																																																																																																																																																							
50u" MIN. NICKEL UNDERPLATED ALL OVER.																																																																																																																																																																																																																																																							
WITHOUT AMP LOGO FOR 12 POSITION UNDER.																																																																																																																																																																																																																																																							
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. LAI 15APR2009		TE Connectivity																																																																																																																																																																																																																																																			
DIMENSIONS: MM		CHK S. CHIEN 15APR2009		NAME																																																																																																																																																																																																																																																			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD W. KODAMA 15APR2009		FPC CONNECTOR, 0.5mm PITCH, TOP CONTACT, SMT TYPE.																																																																																																																																																																																																																																																			
0 PLC ± 0.1		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO																																																																																																																																																																																																																																																			
1 PLC ± 0.1		108-57523		A3 00779 C=1734839																																																																																																																																																																																																																																																			
2 PLC ± 0.1		QUALIFICATION TEST REPORT		SCALE SHEET 1 OF 3 REV C																																																																																																																																																																																																																																																			
3 PLC ± 0.1		501-57598																																																																																																																																																																																																																																																					
4 PLC ± -		WEIGHT - GRAMS																																																																																																																																																																																																																																																					
ANGLES ± 1°		CUSTOMER DRAWING																																																																																																																																																																																																																																																					
MATERIAL SEE NOTE		FINISH SEE NOTE																																																																																																																																																																																																																																																					

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.



COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR



DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.

RECOMMENDED PCB DIMENSIONS DIAGRAMTOLERANCE: ± 0.05 RECOMMENDED FPC DIMENSIONS DIAGRAM

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

FPC CONNECTOR, 0.5mm PITCH,
TOP CONTACT, SMT TYPE.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734839

SCALE

SHEET

2 OF 3

REV C

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG., 2006.

C

COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR





DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.



NOTE :

1. TAPE REEL:
DIAMETER: 13", THICKNESS : 0.35±0.05mm.
2. CARTON:
SIZE: 350mm(L)X 350mm(W)X 340mm(H).
3. WEIGHT:
NET WEIGHT: 7.5kg
GROSS WEIGHT: 13.4kg

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

MM



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

APQ
(PCS/CARTON)PPQ
(PCS/REEL)

D

C

B

A

POS.

PART
NUMBER

DIMENSIONS

TE Connectivity

NAME

FPC CONNECTOR, 0.5mm PITCH,
TOP CONTACT, SMT TYPE.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734839

SCALE

SHEET

3 OF 3

REV C

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[4-1734839-5](#)