

Software - NLC-NAV-01 - 2701221

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



nanoNavigator software

Your advantages

- ✓ Programming can be carried out without a controller connected and then downloaded later
- ✓ Direct connection to a controller enables data to be monitored (inputs, outputs, registers, flags, etc.) and inputs and outputs to be set manually
- ✓ The software simulator provides a simulated controller for troubleshooting
- ✓ Automatic configuration of hardware options
- ✓ Multiple charts create a project



Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 325417
GTIN	4046356325417

Technical data

Functions

Basic functions	Programming with flowcharts
	Programming with ladder diagram
	Project configuration
	Project simulation
	Execution monitoring

Hardware requirements

Hard disk	128 Mbyte
RAM	512 Mbyte (1 GB for Windows Vista)
CPU	Pentium > 400 MHz
Interfaces	COM port or USB port
Optical drive	CD-ROM

Software - NLC-NAV-01 - 2701221

Technical data

Hardware requirements

Monitor resolution	SVGA (800 x 600)
Operating equipment	Keyboard, mouse

Software requirements


Operating system	MS Windows 2000, Windows XP, Windows Vista (32- and 64-bit), Windows 7 (32- and 64-bit), Windows 10 (32- and 64-bit)
------------------	--

Drawings


Pictogram




Pictogram



Pictogram



Pictogram



Pictogram



Pictogram



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2701221](#)