



RECOMMENDED HOLE LAYOUT

		2.586	2.450	49	50	6-111360-1
5		1.786	1.650	33	34	5-111360-7
5		1.386	1.250	25	26	5-111360-5
5		.786	.650	13	14	5-111360-2
5		.586	.450	9	10	5-111360-1
DBSOLETE	4	2.986	2.850	57	58	1-111360-3
DBSOLETE	4	2.786	2.650	53	54	1-111360-2
DBSOLETE	4	2.586	2.450	49	50	1-111360-1
DBSOLETE	4	2.386	2.250	45	46	1-111360-0
DBSOLETE	4	2.186	2.050	41	42	111360-9
DBSOLETE	4	1.986	1.850	37	38	111360-8
DBSOLETE	4	1.786	1.650	33	34	111360-7
DBSOLETE	4	1.586	1.450	29	30	111360-6
DBSOLETE	4	1.386	1.250	25	26	111360-5
DBSOLETE	4	1.186	1.050	21	22	111360-4
DBSOLETE	4	.986	.850	17	18	111360-3
DBSOLETE	4	.786	.650	13	14	111360-2
DBSOLETE	4	.586	.450	9	10	111360-1
FINISH	C	B	A	NO OF POSN	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT.		23-FEB-86	S. WELDON	23-FEB-86	TE Connectivity
DIMENSIONS:	INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	M. VISELLI	NAME	ASSEMBLY, PADDLEBOARD, SHORT END
0 PLC	± -	APVD	24-FEB-86		.100 LONG POSTS, FULL TIN PLATED CONTACTS
1 PLC	± -	W. LENKER			AMP-LATCH
2 PLC	± -	M. VISELLI			
3 PLC	± .003	PRODUCT SPEC			
4 PLC	± -	APPLICATION SPEC			
5 PLC	± .030	—			
6 PLC	± -	—			
MATERIAL:	FINISH	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
MOLDED PARTS: 3	CONTACTS: 4	WEIGHT	A1 00779	C-111360	—
CONTACTS: PH BRZ PER 90-8-750	CONTACTS: 4	CUSTOMER DRAWING			
		SCALE	10:1	1 OF 1	REV G

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[111360-1](#) [111360-5](#) [111360-7](#)