

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST



REVISIONS




P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-002649	29MAR2014	GK	HMR


REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151048-6

FOR REPLACEMENT PARTS FOR APPLICATOR 1911205
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.


THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1911205

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME SIDE FEED SYSTEM III APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1911205	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV A1

APPLICATOR DATA			
CRIMP	SIZE	TYPE	
WIRE	1.27mm [.050]	F	
INSUL	1.78mm [.070]	O	
APPL INSTRUCTIONS 408-10135			
TERMINAL DATA: TE		TYCO ELECTRONICS CRIMP SPEC	
TERMINAL NAME: TE MCP 1.5K			
WIRE STRIP LENGTH 3.1-3.7 mm [.122-.145 IN]		INSULATION DIAMETER RANGE 1.10-1.40mm [.043-.055 IN]	
TERMINAL APPL SPEC		114-18386	-
TERMINALS APPLIED			
1241372-1	1241372-2	-	-



1. RECOMMENDED SPARE PARTS.
2. GREASE BEARING SURFACES LIGHTLY.
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
4. ITEM 19 - OPTIONAL STRIPPER FOR BENCH MACHINE APPLICATIONS.
5. APPLICATOR SPECIFIC DATA TO BE ENTERED INTO BLANK MEMORY CHIP AT ASSEMBLY.
6. APPLY P/N 1-23419-5 LOCTITE(R) TO THREADS.



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1911205-1](#)