

CLAMPING SCREW

POLARIZATION KEY SLOT

796693-3 AS SHOWN

MATING FACE

11.1±0.1

15.5±0.2

WIRE ENTRY

1.75 REF

3.5±0.05 TYP

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

ALL RIGHTS RESERVED.

LOC

DIST

FT

0

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

1234

3-796693-4 AS SHOWN

123456789

3-796693-9 AS SHOWN

12345678910

3-796693-0 AS SHOWN

123456

4-796693-0 AS SHOWN

12345678

4-796693-1 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

MATERIAL

-

DWN 27NOV2000 S.WELDON

CHK 27NOV2000 D.BIEVENOUR

APVD 27NOV2000 D.BIEVENOUR

PRODUCT SPEC 108-20166

APPLICATION SPEC 114-20079

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME

TERMI BLOK, PLUG, STACKING 3.5 mm PITCH

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A200779

C-796693

-

SCALE 4:1

SHEET 2 OF 2

REV B2

1471-9 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[796693-8](#)