

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0192880048](#)  
**Status:** **Active**  
**Overview:** [Application Tooling](#)  
**Description:** ATP Crimp Dies for the Tape Crimp Module and ATP-101 & 301 Press

**Documents:**  
[RoHS Certificate of Compliance \(PDF\)](#)

**General**

Product Family	Application Tooling
Series	207126
Comments	The Crimp Tape Module <a href="#">640162000</a> is a base unit that will work like an applicator in a Molex TM-3000 <a href="#">638017200</a> , <a href="#">638017300</a> industry standard crimp press or the Molex TM-4000 <a href="#">638017600</a> industry standard crimp press. The Crimp Tape Module will accept all ATP-301 and ATP-201 style crimp dies. This Crimp Tape Module will allow customers to process most of Molex's Mylar Tape product from 2 AWG uninsulated and 4 AWG insulated products and up. The Crimp Tape Module will NOT work in any other industry standard crimp press or wire process machine. These ATP-301 style die sets can be used in the older style suitcase presses.
Function	Crimp
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Overview	<a href="#">Application Tooling</a>
Product Name	ETC
Tool Type	Crimp Module
UPC	800753109124
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

**Material Info**

Engineering Number ATP-AA-575

**Reference - Drawing Numbers**

Application Tooling Documents  
 ATS-192880048, ATS-TOOLING-ID-ATP, TM-192280498, TM-192280498SP, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK,



**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per - D(2020)4578-DC (25 June 2020)

**Halogen-Free**

**Status**

**Not Relevant**

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Contained

**Search Parts in this Series**

[207126 Series](#)

**Use With**

Molex Crimp Tape Module [640162000](#) used with Molex TM-3000: [638017200](#) , [638017300](#) , Molex TM-4000: [638017600](#) , Molex ATP-301 Press: [192280030](#) and Molex ATP-101 style presses.

**Application Tooling** | [FAQ](#)

**Description** | **Product #**

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>) Wire, Mylar Tape, Tab 5.21 x 0.51mm [190170003](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>) Wire, Mylar Tape, Tab 2.79 x 0.51mm [190170004](#)

TM-640160065SP, TM-640160065TH,  
TM-640160065TW, TM-640160065VN

InsulKrimp Quick 190170006  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Mylar Tape, Tab 2.79  
x 0.81mm

InsulKrimp Quick 190170009  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Mylar Tape, Tab 4.75  
x 0.81mm

InsulKrimp Quick 190170012  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Mylar Tape, Tab 4.75  
x 0.51mm

InsulKrimp Quick 190170017  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Mylar Tape, Tab 6.35  
x 0.81mm

Avikrimp Quick 190190003  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Mylar Tape, Tab 2.79  
x 0.51mm

Avikrimp Quick 190190005  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Mylar Tape, Tab 2.79  
x 0.81mm

Avikrimp Quick 190190009  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Mylar Tape, Tab 4.75  
x 0.81mm

Avikrimp Quick 190190011  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Mylar Tape, Tab 4.75  
x 0.51mm

Avikrimp Quick 190190013  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>) Wire,  
Mylar Tape, Tab 6.35  
x 0.81mm

Quixon Quick 192740003  
Disconnect,  
InsulKrimp Style,  
Female, Partially  
Insulated Red, 18-22  
AWG, Mylar Tap

Quixon Quick 192750003  
Disconnect, Avikrimp  
Style, Female,  
Partially Insulated

This document was generated on 11/23/2020

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**