

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- ,04FEB03

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

P





REVISED PER ECO-11-005033

26MAR11



RK

HMR

CIRCUIT No.1



ISOMETRIC VIEW

P.C.B MOUNTING LAYOUT
(APPLICABLE P.C.B THK:1.6mm)TOLERANCES UNLESS
OTHERWISE SPECIFIED:

10 ≥ * : ±0.2
 30 ≥ * >10 : ±0.25
 100 ≥ * >30 : ±0.3
 ANGLE : ±3°

NOTES:


1.MATERIAL:

HOUSING: NYLON(G.F.) UL94V-0, COLOR: GRAY,BLUE
 POST: PRE-TIN 0.5mm SQ. BRASS WIRE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± -
 1 PLC ± -
 2 PLC ± -
 3 PLC ± -
 4 PLC ± -
 ANGLES ± -
 FINISH

MATERIAL

SEE NOTE 1

SEE NOTE 1

DWN

31JAN03

CHK

31JAN03

S.YAO

T. SASAKI

PRODUCT SPEC

108 - 60018

APPLICATION SPEC

114 - 5223

WEIGHT

SEE TABLE

CUSTOMER DRAWING

TE

TE Connectivity

NAME

AMP Mini CT Connector 1.5mm Pitch
 Double Row Post HDR Ass'y (V)
 DIP Staggered Type with Boss with Kink

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-292208

SCALE

SHEET


1 OF 2

REV

P

LOC FB	DIST 00	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

1.67	35.5	34.1	28.5	40	9-292208-0	4-292208-0
1.60	34.0	32.6	27.0	38	8-292208-8	3-292208-8
1.53	32.5	31.1	25.5	36	8-292208-6	3-292208-6
1.46	31.0	29.6	24.0	34	8-292208-4	3-292208-4
1.38	29.5	28.1	22.5	32	8-292208-2	3-292208-2
1.31	28.0	26.6	21.0	30	8-292208-0	3-292208-0
1.24	26.5	25.1	19.5	28	7-292208-8	2-292208-8
1.17	25.0	23.6	18.0	26	7-292208-6	2-292208-6
1.10	23.5	22.1	16.5	24	7-292208-4	2-292208-4
1.03	22.0	20.6	15.0	22	7-292208-2	2-292208-2
WEIGHT (g)	C	B	A	Pos.	BLUE	GRAY
	DIMENSIONS				PART NO	

DIMENSIONS: mm	DWN -	MATERIAL -	FINISH -				
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± SEE SHEET 2 PLC ± 1 OF 2 3 PLC ± - 4 PLC ± - ANGLES ± -	CHK -	 TE Connectivity					
	APVD -						
	PRODUCT SPEC -	NAME AMP Mini CT Connector 1.5mm Pitch Double Row Post HDR Ass'y (V) DIP Staggered Type with Boss with Kink					
	APPLICATION SPEC -	SIZE A4	CAGE CODE 00779	DRAWING NO C-292208	RESTRICTED TO -		
	WEIGHT -	CUSTOMER DRAWING			SCALE NON	SHEET 2 OF 2	REV P

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[9-292208-0](#)