



REV.

Bottom connector D=37pos. Male

Top connector D=37pos. Male

RoHS Compliant

PRODUCT CODE

ELECTRICAL : BOARDLOCK: BRACKET :

Voltage rating 250V AC(RMS)

Current rating 3A

Copper Alloy.Tin plated Zinc Alloy ,Nickel plated

Withstanding Voltage >1000 V AC(RMS) Contact resistance 25 m0hms max. Insulation resistance >1000 M Ohms

CONTACTS: BODY : SHELL:

Copper Alloy

PBT, UL 94V-0, Color:Black

Gold flash plated over 50u" nickel on mating area

SPCC, 100u" min tin over 50u" min nickel over 50u" copper

D-SUB TECHNICAL DATA

M

E C N

チーー

First Release Drawing

20/Aug/13

DATE

APPROVED ₽

DESCRIPTION REVISIONS

100u" tin plated over 50u" nickel on solder area

Spacing between ports 3-F=22.86 G=35.41

Board mounting options
3=Quad Arrowhead
boardlocks

Flange Mounting Options 0=4-40unc Rear Insert

Contact plating 0=Flash Gold

Shell plating 1=Tin

TOLERANCE:+/-0.05mm

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

```
L17HRD2M115K L17H2222120 L17H1110120 L17H1110121 L17H1110124 L17H1110125 L17H1110127
L17H1110130 L17H1110131 L17H1110134 L17H1110135 L17H1110137 L17H1111120 L17H1111121
L17H1111124 L17H1111125 L17H1111127 L17H1111130 L17H1111131 L17H1111134 L17H1111135
L17H1111137 L17H1112134 L17H1112135 L17H1112137 L17H1112125 L17H1112127 L17H1112130
L17H1120125 L17H1120127 L17H1121120 L17H1121121 L17H1121124 L17H1120120 L17H1120121 L17H1120124
L17H1120125 L17H1120127 L17H1121120 L17H1121121 L17H1121124 L17H1121125 L17H1120125 L17H1120127
L17H1120120 L17H1120121 L17H1120124 L17H112125 L17H1121124 L17H1130130 L17H1130131
L17H1130134 L17H1130135 L17H1130137 L17H1131130 L17H1131131 L17H1131134 L17H1131135
L17H1131137 L17H1132130 L17H132131 L17H132134 L17H132135 L17H132137 L17H1210120
L17H1210121 L17H1210124 L17H1210125 L17H1210127 L17H1210130 L17H1210131 L17H1210134
L17H1210135 L17H1210137 L17H1211120 L17H1211121 L17H1211135 L17H1211125 L17H1211127
L17H1211130 L17H121131 L17H1211134 L17H121135 L17H121137 L17H1211212 L17H121135
L17H121137 L17H1212125 L17H1212127 L17H1212130 L17H1212131 L17H1212134 L17H1212135
L17H1220131 L17H1220134 L17H1220131 L17H1220132 L17H1220130 L17H1220131 L17H1220134
```