







| LOC<br> | DIST<br>- | REVISIONS |     |                               |           |     |      |
|---------|-----------|-----------|-----|-------------------------------|-----------|-----|------|
|         |           | P         | LTR | DESCRIPTION                   | DATE      | DWN | APVD |
|         |           |           | 6   | UPDATED                       | 23JUL2013 | MZ  | JC   |
|         |           |           | 7   | REVISED LATCH SHAPE           | 05AUG2013 | KR  | JC   |
|         |           |           | A   | PARTS RELEASED FOR PRODUCTION | 13NOV2013 | KR  | JC   |
|         |           |           |     |                               |           |     |      |

PRELIMINARY






- NOTES:
- 1 MATERIAL: PA GF (NATURAL AND BLACK COLOUR)
  - 2 ALL POLARIZATION KEYS SHOWN FOR REF ONLY
  - 3 WAYS I.D.
  - 4 VOLTAGE AND CURRENT RATINGS
  - 5 RIB CLOSING CAVITY BY CHANGE OVER
  - 6 TE LOGO
  - 7 TE PART NUMBER
  - 8 DATA CODE AND CAVITY I.D.
  - 9 AREA FOR AGENCIES APPROVAL LOGO
  - 10 VISUAL INDICATOR FOR PE CONDUCTOR
  - 11 IP CODE



SCALE 1:1

|                                        |  |                                 |                                                                           |  |                        |  |
|----------------------------------------|--|---------------------------------|---------------------------------------------------------------------------|--|------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN<br>A. BERNARDI<br>31MAR2011 | <div><div>TE</div><div>TE Connectivity</div></div>                        |  |                        |  |
|                                        |  | CHK<br>M. ZUCCA<br>31MAR2011    |                                                                           |  |                        |  |
|                                        |  | APVD<br>G. TURCO<br>31MAR2011   | NAME<br>PIN HSG 6 POLES FREE HANGING<br>NECTOR M-LINE<br>UNSEALED VERSION |  |                        |  |
| DIMENSIONS:<br>mm                      |  | PRODUCT SPEC<br>108-20324       | SIZE<br>A300779                                                           |  | DRAWING NO<br>C-293657 |  |
|                                        |  | APPLICATION SPEC<br>114-20169   | CAGE CODE                                                                 |  | RESTRICTED TO          |  |
| MATERIAL<br>NOTE 1                     |  | WEIGHT<br>-                     | SCALE<br>2:1                                                              |  | SHEET<br>1 OF 2        |  |
|                                        |  | Customer Drawing                |                                                                           |  | REV<br>A               |  |

| LOC<br> | DIST<br>- | REVISIONS |     |             |      |     |      |
|---------|-----------|-----------|-----|-------------|------|-----|------|
|         |           | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|         |           |           | -   | SEE SHEET 1 | -    | -   | -    |
|         |           |           |     |             |      |     |      |
|         |           |           |     |             |      |     |      |
|         |           |           |     |             |      |     |      |


| POLARIZATION TYPES                                                                |                                                                                    |                                                                                     |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| POLARIZATION TYPE "D"                                                             | POLARIZATION TYPE "E"                                                              | POLARIZATION TYPE "F"                                                               |
|  |  |  |
| PNs 0-293657-3 AND 0-293657-3                                                     | PNs 0-293657-4 AND 1-293657-4                                                      | PNs 0-293657-5 AND 0-293657-5                                                       |

| TABLE 1                                                                               |             |         |                                                   |      |            |
|---------------------------------------------------------------------------------------|-------------|---------|---------------------------------------------------|------|------------|
|    | E           | BLACK   | PIN HSG 6 POLES<br>FREE HANGING<br>NECTOR* M-LINE | A    | 1-293657-5 |
|    | D           | BLACK   | PIN HSG 6 POLES<br>FREE HANGING<br>NECTOR* M-LINE | A    | 1-293657-4 |
|    | C           | BLACK   | PIN HSG 6 POLES<br>FREE HANGING<br>NECTOR* M-LINE | A    | 1-293657-3 |
|   | E           | NATURAL | PIN HSG 6 POLES<br>FREE HANGING<br>NECTOR* M-LINE | A    | 0-293657-5 |
|  | D           | NATURAL | PIN HSG 6 POLES<br>FREE HANGING<br>NECTOR* M-LINE | A    | 0-293657-4 |
|  | C           | NATURAL | PIN HSG 6 POLES<br>FREE HANGING<br>NECTOR* M-LINE | A    | 0-293657-3 |
| NOTE                                                                                  | POL. KEYING | COLOUR  | DESCRIPTION                                       | REV. | P/N        |

PRELIMINARY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
mm



MATERIAL  
NOTE 1

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±°  
1 PLC ±0.3  
2 PLC ±0.20  
3 PLC ±°  
4 PLC ±°  
ANGLES ±3°  
FINISH -

DWN  
A. BERNARDI  
CHK  
M. ZUCCA  
APVD  
G. TURCO

31MAR2011  
31MAR2011  
31MAR2011

PRODUCT SPEC  
108-20324  
APPLICATION SPEC  
114-20169  
WEIGHT  
-

Customer Drawing

TE Connectivity

NAME  
PIN HSG 6 POLES FREE HANGING  
NECTOR M-LINE  
UNSEALED VERSION

SIZE  
A3

CAGE CODE  
00779

DRAWING NO  
C-293657

RESTRICTED TO  
-

SCALE  
2:1

SHEET  
2

OF  
2

REV  
A

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-293657-4](#)