

Tool - VDE-ISS 5 - 1203343

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Allen key, fully insulated, safety tool according to EN 60900, length: 150 mm, T-handle width: 110 mm, for all terminals with 6 mm Allen screw

The illustration shows version VDE-
ISS 8

Product Features

- VDE-insulated Allen wrench with double-layer insulation, for double the safety



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	100.0 g
Custom tariff number	82054000
Country of origin	Germany

Technical data

Dimensions

Wrench size	5.00 mm
-------------	---------

General

Type	5 mm hexagonal
------	----------------

Classifications

eCl@ss

eCl@ss 4.0	21040401
eCl@ss 4.1	21040401
eCl@ss 5.0	21040401
eCl@ss 5.1	21040401
eCl@ss 6.0	21040401

Tool - VDE-ISS 5 - 1203343

Classifications

eCl@ss

eCl@ss 7.0	21040409
eCl@ss 8.0	21049090

ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186
ETIM 5.0	EC000818

UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701

Approvals

Approvals

Approvals

VDE Zeichengenehmigung / EAC

Ex Approvals

Approvals submitted

Approval details

VDE Zeichengenehmigung 
--

EAC

Drawings

Tool - VDE-ISS 5 - 1203343

Pictogram



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1203343](#)