








NOTES:

1. PLATING FINISH:
 - 0 , 3 - 0.76µm MIN. GOLD IN CONTACT AREA 1.27µm MIN. TIN
IN SOLDER TAIL AREA BOTH OVER 1.27µm MIN. NICKEL OVERALL
 - 4 - 0.38µm MIN. GOLD IN CONTACT AREA 1.27µm MIN. TIN
IN SOLDER TAIL AREA BOTH OVER 1.27µm MIN. NICKEL OVERALL
 - 5 - 0.05µm MIN. GOLD FLASH IN CONTACT AREA 1.90µm MIN. TIN
IN SOLDER TAIL AREA BOTH OVER 1.27µm MIN. NICKEL OVERALL
2. 12 CKT SIZE SHOWN FOR ASSY ILLUSTRATION ONLY. (SEE CHART FOR ALL PART SIZES), 6 CKT & 30 CKT ILLUSTRATED FOR TAPE/REEL VERSION ON SHT 2.
3. PRODUCT SPECIFICATION PS-87380 APPLIES.
 - 4 COPLANARITY OF SOLDER TAILS ARE TO BE MEASURED BY RESTING THE PART ON A FLAT GAUGE SURFACE ↑ +0.05 UPWARDS AND ↓ -0.05 DOWNWARDS.
5. TUBE PACKAGING STANDARD.
6. COVER IS OPTIONAL, SEE LEGEND.
7. PARTS SHALL BE PACKED IN MOISTURE BARRIER BAG.
 - 8 REFER SHT 3 FOR P/N: 87381-6000 T&R ILLUSTRATION.



PART NUMBER W/CAP IN TUBE	CKT. SIZE	DIM A	DIM B	DIM C
87381-06**	6	6.00	4.00	0.55
87381-08**	8	8.00	6.00	1.55
87381-10**	10	10.00	8.00	2.55
87381-12**	12	12.00	10.00	3.55
87381-14**	14	14.00	12.00	4.55
87381-16**	16	16.00	14.00	5.55
87381-18**	18	18.00	16.00	6.55
87381-20**	20	20.00	18.00	7.55
87381-22**	22	22.00	20.00	8.55
87381-24**	24	24.00	22.00	9.55
87381-26**	26	26.00	24.00	10.55
87381-28**	28	28.00	26.00	11.55
87381-30**	30	30.00	28.00	12.55
87381-32**	32	32.00	30.00	13.55
87381-34**	34	34.00	32.00	14.55
87381-36**	36	36.00	34.00	15.55
87381-38**	38	38.00	36.00	16.55
87381-40**	40	40.00	38.00	17.55
87381-42**	42	42.00	40.00	18.55
87381-44**	44	44.00	42.00	19.55
87381-46**	46	46.00	44.00	20.55
87381-48**	48	48.00	46.00	21.55
87381-50**	50	50.00	48.00	22.55

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED BTB DIST.				molex			
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 619055				MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT			
	MM	INCH	DRWN: HK02				2019/05/14				
4 PLACES	±	±	CHK'D: NMANE02				2019/07/09				
3 PLACES	±	±	APPR: MRAMAKRISHNA				2019/07/09				
2 PLACES	± 0.2	±	INITIAL REVISION:				PRODUCT CUSTOMER DRAWING				
1 PLACE	±	±	DRWN: JAMES								
0 PLACES	±	±	APPR: SQUEK				DOCUMENT NUMBER				
ANGULAR TOL ± 3.0 °			1998/01/08				SD-87381-XX6X		DOC TYPE	DOC PART	REVISION
1999/04/26									PSD	001	E15
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER	
					A3-SIZE	87381	SEE CHART	GENERAL MARKET		1 OF 5	

E																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

CKT SIZE	PART No. WITHOUT CAP IN TUBE	PART NO. WITHOUT CAP IN TAPE / REEL	W	So	Ao	F	Bo	Ko	T & R TYPE (SHT 2)	T&R QTY PER REEL
50	87381-5074	87381-6000 	72	68.40	6.80	34.20	50.50	8.00	B	500

 ILLUSTRATION FOR P/N: 87381-6000
50 CKT IN T&R W/O CAP





SECTION X-X

DOCUMENT STATUS	P1	RELEASE DATE	2019/07/09	06:47:06
-----------------	----	--------------	------------	----------

FORMAT: Mef-lega-master-ib-prod-A3
REVISION: D
DATE: 2017/1/0/08

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED BTB DIST.				molex		
mm		NTS								
GENERAL TOLERANCES (UNLESS SPECIFIED)								MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT		
		MM	INCH	EC NO: 619055				PRODUCT CUSTOMER DRAWING		
4 PLACES	±		±	DRWN: HK02 2019/05/14						
3 PLACES	±		±	CHK'D: NMANE02 2019/07/09						
2 PLACES	±	0.2	±	APPR: MRAMAKRISHNA 2019/07/09						
1 PLACE	±		±	INITIAL REVISION:				DOCUMENT NUMBER		
0 PLACES	±		±	DRWN: JAMES 1998/01/08						
ANGULAR TOL ± 3.0 °				APPR: SQUEK 1999/04/26				SD-87381-XX6X		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
						A3-SIZE	87381	SEE CHART	GENERAL MARKET	4 OF 5

10	9	8	7	6	5	4	3	2	1																																																																																																																										
BOARD TO BOARD (BTB) DISTANCE																																																																																																																																			
RECEPTACLE	MATES WITH(HEADER)	BTB DISTANCE	PICTORIAL VIEW																																																																																																																																
87381	87831	7.01																																																																																																																																	
	87832	8.21																																																																																																																																	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION <table><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="2">CURRENT REV DESC: ADDED BTB DIST.</td><td colspan="4" rowspan="3"> molex MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT PRODUCT CUSTOMER DRAWING <table><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">SD-87381-XX6X</td><td>PSD</td><td>001</td><td>E15</td></tr></table></td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2"></td></tr><tr><td></td><td>MM</td><td>INCH</td><td></td><td colspan="2">EC NO: 619055</td><td colspan="2">2019/05/14</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td><td></td><td colspan="2">DRWN: HK02</td><td colspan="2">2019/07/09</td></tr><tr><td>3 PLACES</td><td>±</td><td>±</td><td></td><td colspan="2">CHK'D: NMANE02</td><td colspan="2">2019/07/09</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>±</td><td></td><td colspan="2">APPR: MRAMAKRISHNA</td><td colspan="2">2019/07/09</td></tr><tr><td>1 PLACE</td><td>±</td><td>±</td><td></td><td colspan="4">INITIAL REVISION:</td><td colspan="2"></td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td><td></td><td colspan="2">DRWN: DRWN BY</td><td colspan="2">XXXX/XX/XX</td><td colspan="2"></td></tr><tr><td colspan="2">ANGULAR TOL</td><td>± 3.0 °</td><td></td><td colspan="2">APPR: APPR BY</td><td colspan="2">XXXX/XX/XX</td><td colspan="2"></td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td>CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="3"></td><td colspan="2"></td><td>A3-SIZE</td><td>87381</td><td></td><td>GENERAL MARKET</td><td>5 OF 5</td></tr></table> <table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2019/07/09</td><td>06:47:06</td></tr></table> FORMAT: Met Units REVISION: D DATE: 2018/01/15										DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED BTB DIST.				molex MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT PRODUCT CUSTOMER DRAWING <table><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">SD-87381-XX6X</td><td>PSD</td><td>001</td><td>E15</td></tr></table>				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	SD-87381-XX6X		PSD	001	E15	GENERAL TOLERANCES (UNLESS SPECIFIED)					MM	INCH		EC NO: 619055		2019/05/14		4 PLACES	±	±		DRWN: HK02		2019/07/09		3 PLACES	±	±		CHK'D: NMANE02		2019/07/09		2 PLACES	± 0.2	±		APPR: MRAMAKRISHNA		2019/07/09		1 PLACE	±	±		INITIAL REVISION:						0 PLACES	±	±		DRWN: DRWN BY		XXXX/XX/XX				ANGULAR TOL		± 3.0 °		APPR: APPR BY		XXXX/XX/XX				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER						A3-SIZE	87381		GENERAL MARKET	5 OF 5	DOCUMENT STATUS	P1	RELEASE DATE	2019/07/09	06:47:06									
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED BTB DIST.				molex MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT PRODUCT CUSTOMER DRAWING <table><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">SD-87381-XX6X</td><td>PSD</td><td>001</td><td>E15</td></tr></table>				DOCUMENT NUMBER										DOC TYPE	DOC PART	REVISION	SD-87381-XX6X		PSD	001	E15																																																																																																						
DOCUMENT NUMBER		DOC TYPE	DOC PART									REVISION																																																																																																																							
SD-87381-XX6X		PSD	001	E15																																																																																																																															
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																			
	MM	INCH		EC NO: 619055		2019/05/14																																																																																																																													
4 PLACES	±	±		DRWN: HK02		2019/07/09																																																																																																																													
3 PLACES	±	±		CHK'D: NMANE02		2019/07/09																																																																																																																													
2 PLACES	± 0.2	±		APPR: MRAMAKRISHNA		2019/07/09																																																																																																																													
1 PLACE	±	±		INITIAL REVISION:																																																																																																																															
0 PLACES	±	±		DRWN: DRWN BY		XXXX/XX/XX																																																																																																																													
ANGULAR TOL		± 3.0 °		APPR: APPR BY		XXXX/XX/XX																																																																																																																													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER																																																																																																																										
					A3-SIZE	87381		GENERAL MARKET	5 OF 5																																																																																																																										
DOCUMENT STATUS	P1	RELEASE DATE	2019/07/09	06:47:06																																																																																																																															
10	9	8	7	6	5	4	3	2	1																																																																																																																										

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

CURRENT REV DESC: ADDED BTB DIST.

EC NO: 619055

DRWN: HK02

CHK'D: NMANE02

APPR: MRAMAKRISHNA

2019/05/14

2019/07/09

2019/07/09

SD-87381-XX6X

PSD

001

E15

5 OF 5

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87381

MATERIAL NUMBER

CUSTOMER

GENERAL MARKET

SHEET NUMBER

5 OF 5

DOCUMENT NUMBER

SD-87381-XX6X

DOC TYPE

PSD

DOC PART

001

REVISION

E15

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SD-87381-XX6X

DOC TYPE

PSD

DOC PART

001

REVISION

E15

INITIAL REVISION:

DRWN: DRWN BY

APPR: APPR BY

XXXX/XX/XX

XXXX/XX/XX

MOLEX

MGRID, TOP ENTRY RECEPT.
4.50MM HT., SMT

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[87381-1674](#)