

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

**Part Number:** [0387006315](#)  
**Status:** **Active**  
**Overview:** [Beau Barrier Strips](#)  
**Description:** 8.26mm Pitch Beau PCB Terminal Strip, without Mounting Ends, 15 Circuits

**Documents:**

|                                |                                                      |
|--------------------------------|------------------------------------------------------|
| <a href="#">3D Model</a>       | <a href="#">Drawing (PDF)</a>                        |
| <a href="#">3D Model (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a> |

**General**

|                |                                     |
|----------------|-------------------------------------|
| Product Family | Terminal Blocks                     |
| Series         | <a href="#">38700</a>               |
| Application    | N/A                                 |
| Component Type | One Piece                           |
| Overview       | <a href="#">Beau Barrier Strips</a> |
| Product Name   | Fixed Mount Barrier                 |
| Type           | Barrier Strip                       |
| UPC            | 800756314143                        |

**Physical**

|                                |                    |
|--------------------------------|--------------------|
| Circuits (Loaded)              | 15                 |
| Circuits (maximum)             | 15                 |
| Entry Angle                    | Horizontal         |
| Lock to Mating Part            | None               |
| Material - Metal               | Brass              |
| Material - Plating Mating      | Tin                |
| Material - Plating Termination | Tin                |
| Number of Rows                 | 1                  |
| Orientation                    | Horizontal         |
| PC Tail Length                 | 3.56mm             |
| PCB Retention                  | None               |
| Panel Mount                    | No                 |
| Pitch - Mating Interface       | 8.26mm             |
| Pitch - Termination Interface  | 8.26mm             |
| Plating min - Mating           | 3.810µm            |
| Plating min - Termination      | 3.810µm            |
| Polarized to Mating Part       | No                 |
| Shrouded                       | Dual-Barrier       |
| Stackable                      | Yes                |
| Surface Mount Compatible (SMC) | No                 |
| Temperature Range - Operating  | -40° to +130°C     |
| Termination Interface: Style   | Through Hole       |
| Wire Size AWG                  | 14, 16, 18, 20, 22 |
| Wire Size mm²                  | 0.50-1.50          |

**Electrical**


|                               |       |
|-------------------------------|-------|
| Current - Maximum per Contact | 15.0A |
| Voltage - Maximum             | 300V  |

**Material Info**

|                    |         |
|--------------------|---------|
| Engineering Number | 70515-C |
|--------------------|---------|

**Reference - Drawing Numbers**

|               |              |
|---------------|--------------|
| Sales Drawing | SD-38700-001 |
|---------------|--------------|



Series image - Reference only

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**China RoHS**

**REACH SVHC**

Not Contained Per -  
ED/71/2019 (16 July  
2019)

**Halogen-Free**

**Status**

**Not Low-Halogen**

For more information, please visit [Contact US](#)

|                 |               |
|-----------------|---------------|
| China ROHS      | Not Relevant  |
| ELV             | Not Relevant  |
| RoHS Phthalates | Not Contained |

**Search Parts in this Series**  
[38700 Series](#)

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

38700-6315