

1

2

3

4

5

TECHNICAL CHARACTERISTICS

MATERIAL  
COLOR: BLACK  
STYLE: UL1007

ENVIRONMENTAL  
OPERATING TEMPERATURE: -20°C UP TO 80°C  
COMPLIANCE: LEAD FREE AND ROHS

WIRE DIMENSION  
AWG: 24

PACKAGING  
10 PCS/BAG


A

B

C

D

Terminal A




3 mm Pre-stripped



Terminal B

Wire Length 150mm



Terminal A	662 001 137 22
Terminal B	Pre-stripped

RoHS Compliant

G			
F			
E			
D			
C			
B			
A	18-OCT-11	PDF	GG
REV	DATE	FILE	BY

PROJECTION:

GENERAL TOLERANCE  
.X = +/- 0.2  
.XX = +/- 0.15



APPROVAL: RJ

UNIT: MM  
SCALE:  
SHEET: 1/2  
DRAW: QL

DESCRIPTION: WR-MPC3 FEMALE PRE-CRIMPED CABLE  
WERI PART NO: 662 100 124 015

SIZE  
**A4**

1

2

3

4

5


A



B

C

D

Note:  
 1.Dimension  
 Carton Size:40\*30\*20(CM)  
 2.Quantity: 5000 Pcs/Carton



RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15		DESCRIPTION: WR-MPC3 FEMALE PRE-CRIMPED CABLE	SIZE <b>A4</b>
G								
F								
E								
D				APPROVAL: RJ	UNIT: MM	WERI PART NO: 662 100 124 015		
C					SCALE:			
B					SHEET: 2/2			
A					DRAW: QL			
REV	DATE	FILE	BY					

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Wurth Electronics:](#)

[662100124015](#)