

P	LTR	DESCRIPTION	DATE	DWN	APVD
	H	OBS-8 PER 0010-0665-96	30DEC96	—	JH
	J	REVISED PER ECO-17-015762	31OCT2017	RS	JO
	K	REVISED PER ECO-18-000976	13APR2018	RS	JO



- 1 STRAIN RELIEF TO BE ULTRASONICALLY WELDED TO HOUSING.
2 ASSEMBLIES 8 POSN AND SMALLER WILL NOT BE MARKED.
3 NOTE DELETED.
4 'AMP', PART NO., AND DATE CODE MARKED IN AREA SHOWN.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. BRANDBERG	6-20-94	 TE Connectivity Ltd.			
		CHK P. SREMCICH	6-20-94				
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. DUPLER	6-20-94	NAME HOUSING ASSY, MOD IV, 2.54[.100] X 2.54[.100] ϕ , W/POL AND STRAIN RELIEF			
	0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± -	PRODUCT SPEC	—				
		APPLICATION SPEC	—				
MATERIAL	FINISH	WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
FLAME RETARDANT GLASS FILLED NYLON COLOR: BLACK	—			A2	00779	 102184	—
CUSTOMER DRAWING				SCALE	1:1	SHEET	1 of 2
				REV	K		

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

TE Connectivity

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NONE	I	81.28[3.200]	6-87977-2	64	6-102184-2
ALL	I	81.28[3.200]	6-87977-2	64	6-102184-1
NONE	I	73.66[2.900]	6-87977-0	58	6-102184-0
ALL	I	73.66[2.900]	6-87977-0	58	5-102184-9
NONE	I	71.12[2.800]	5-87977-8	56	5-102184-8
ALL	I	71.12[2.800]	5-87977-8	56	5-102184-7
NONE	I	60.96[2.400]	5-87977-6	48	5-102184-6
ALL	I	60.96[2.400]	5-87977-6	48	5-102184-5
NONE	I	91.44[3.600]	5-87977-4	72	5-102184-4
NONE	I	88.90[3.500]	5-87977-3	70	5-102184-3
NONE	I	83.82[3.300]	5-87977-2	66	5-102184-2
NONE	I	76.20[3.000]	5-87977-1	60	5-102184-1
NONE	I	68.58[2.700]	5-87977-0	54	5-102184-0
NONE	I	66.04[2.600]	4-87977-9	52	4-102184-9
NONE	I	63.50[2.500]	4-87977-8	50	4-102184-8
NONE	I	55.88[2.200]	4-87977-7	44	4-102184-7
NONE	I	53.34[2.100]	4-87977-6	42	4-102184-6
NONE	I	50.80[2.000]	4-87977-5	40	4-102184-5
NONE	I	48.26[1.900]	4-87977-4	38	4-102184-4
NONE	I	45.72[1.800]	4-87977-3	36	4-102184-3
NONE	I	43.18[1.700]	4-87977-2	34	4-102184-2
NONE	I	40.64[1.600]	4-87977-1	32	4-102184-1
NONE	I	38.10[1.500]	4-87977-0	30	4-102184-0
NONE	I	35.56[1.400]	3-87977-9	28	3-102184-9
NONE	I	33.02[1.300]	3-87977-8	26	3-102184-8
NONE	I	30.48[1.200]	3-87977-7	24	3-102184-7
NONE	I	27.94[1.100]	3-87977-6	22	3-102184-6
NONE	I	25.40[1.000]	3-87977-5	20	3-102184-5
NONE	II	22.86[.900]	3-87977-4	18	3-102184-4
NONE	II	20.32[.800]	3-87977-3	16	3-102184-3
NONE	II	17.78[.700]	3-87977-2	14	3-102184-2
MARKING	TYPE	A	HOUSING PART NO.	NO. OF POSN.	PART NUMBER

NONE	II	15.24[.600]	3-87977-1	12	3-102184-1
NONE	II	12.76[.500]	3-87977-0	10	3-102184-0
NONE	III	10.16[.400]	2-87977-9	8	2-102184-9
NONE	III	7.62[.300]	2-87977-8	6	2-102184-8
ALL	I	91.44[3.600]	5-87977-4	72	2-102184-7
ALL	I	88.90[3.500]	5-87977-3	70	2-102184-6
ALL	I	83.82[3.300]	5-87977-2	66	2-102184-5
ALL	I	76.20[3.000]	5-87977-1	60	2-102184-4
ALL	I	68.58[2.700]	5-87977-0	54	2-102184-3
ALL	I	66.04[2.600]	4-87977-9	52	2-102184-2
ALL	I	63.50[2.500]	4-87977-8	50	2-102184-1
ALL	I	55.88[2.200]	4-87977-7	44	2-102184-0
ALL	I	53.34[2.100]	4-87977-6	42	1-102184-9
ALL	I	50.80[2.000]	4-87977-5	40	1-102184-8
ALL	I	48.26[1.900]	4-87977-4	38	1-102184-7
ALL	I	45.72[1.800]	4-87977-3	36	1-102184-6
ALL	I	43.18[1.700]	4-87977-2	34	1-102184-5
ALL	I	40.64[1.600]	4-87977-1	32	1-102184-4
ALL	I	38.10[1.500]	4-87977-0	30	1-102184-3
ALL	I	35.56[1.400]	3-87977-9	28	1-102184-2
ALL	I	33.02[1.300]	3-87977-8	26	1-102184-1
ALL	I	30.48[1.200]	3-87977-7	24	1-102184-0
ALL	I	27.94[1.100]	3-87977-6	22	102184-9
ALL	I	25.40[1.000]	3-87977-5	20	102184-8
ALL	II	22.86[.900]	3-87977-4	18	102184-7
ALL	II	20.32[.800]	3-87977-3	16	102184-6
ALL	II	17.78[.700]	3-87977-2	14	102184-5
ALL	II	15.24[.600]	3-87977-1	12	102184-4
ALL	II	12.70[.500]	3-87977-0	10	102184-3
ALL	III	10.16[.400]	2-87977-9	8	102184-2
ALL	III	7.62[.300]	2-87977-8	6	102184-1
MARKING	TYPE	A	HOUSING PART NO.	NO. OF POSN.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
E. BRANDBERG
6-20-94

CHK
P. SREMCICH
6-20-94

APVD
D. DUPLER
6-20-94

DIMENSIONS:
mm [INCHES]

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± -
2 PLC ± 0.13[.005]
3 PLC ± -
4 PLC ± -
ANGLES ± -

MATERIAL
FLAME RETARDENT
GLASS FILLED NYLON
COLOR: BLACK

FINISH
-

WEIGHT

CUSTOMER DRAWING

NAME
HOUSING ASSEMBLY, MOD IV,
2.54 [.100]X 2.54 [.100] Q
W/POLARIZATION AND STRAIN RELIEF

SIZE
A2

CAGE CODE
00779

DRAWING NO
C-102184

RESTRICTED TO
-

SCALE
1:1

SHEET
2 OF 2

REV
K

TE Connectivity Ltd.

102184

1471-9 (1/15)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-102184-9](#)