THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	M	REVISED PER ECO-16-001979	15FEB2016	NK	MZ
	N	REVISED PER ECO-17-013721	16NOV2017	RS	MZ



STYLE B
(MALE)



STYLE C
(STRIP)

	STYLE	LH	FREE DIA	MAT'L (NOTE)	MATING DIA REF	PLATING	NUM LOUV	MAT'L THK	REF	PART NUMBER
18	NOT AVAILABLE			--	--	--	--	--	03088	4-192039-5
18	NOT AVAILABLE			--	--	--	--	--	03087	4-192039-4
18	NOT AVAILABLE			--	--	--	--	--	03051	4-192039-3
18	NOT AVAILABLE			--	--	--	--	--	03050	4-192039-2
19	B	[.036]	[.58]	12	16.51[.650]	UNPL	43	0.20[.008]	03119	4-192039-1
OBSOLETE	B	[.032]	[.58]	12	14.22[.560]	1-2	43	0.15[.006]	03124	4-192039-0
18	NOT AVAILABLE			--	--	--	--	--	--	3-192039-9
	B	[.038]	[.46]	12	12.7[.500]	--	34	0.20[.008]	03122	3-192039-8
19	B	[.038]	[.46]	12	12.7[.500]	1-2	34	0.20[.008]	03121	3-192039-7
OBSOLETE	B	[.038]	[.46]	12	12.7[.500]	UNPL	34	0.20[.008]	03048	3-192039-6
	B	[.032]	[.46]	12	12.7[.500]	1-2	--	0.15[.006]	03129	3-192039-5
OBSOLETE	B	[.032]	[.46]	12	12.7[.500]	UNPL	34	0.15[.006]	03110	3-192039-4
19	B	[.034]	[.33]	12	9.52[.375]	1-2	24	0.20[.008]	03148	3-192039-3
OBSOLETE					--	--	--	--	03042	3-192039-2
18	SUPERSEDED BY 2-192039-7				--	--	--	--	03041	3-192039-1
	B	[.036]	[.31]	12	7.9[.311]	3-2	21	0.20[.008]	03082	3-192039-0
	B	[.036]	[.31]	12	7.9[.311]	1-2	21	0.20[.008]	03036	2-192039-9
19 OBSOLETE				--	--	--	--	--	03035	2-192039-8
	B	[.036]	[.31]	12	7.9[.311]	UNPL	21	0.20[.008]	03066	2-192039-7
19 OBSOLETE	B	[.036]	[.30]	12	7.37[.291]	UNPL	20	0.20[.008]	03120	2-192039-6
18	NOT AVAILABLE			--	--	--	--	--	03034	2-192039-5
18	NOT AVAILABLE			--	--	--	--	--	03030	2-192039-4
18	B	[.036]	[.30]	12	6.3[.248]	1-2	17	0.20[.008]	03027	2-192039-3
OBSOLETE	B	[.036]	[.30]	12	6.3[.248]	UNPL	17	0.20[.008]	03026	2-192039-2
	B	[.033]	[.27]	12	6.3[.248]	1-2	16	0.20[.008]	03140	2-192039-1
19	B	[.033]	[.27]	12	6.3[.248]	UNPL	16	0.20[.008]	03139	2-192039-0
	B	[.036]	[.25]	12	6.0[.236]	3-2	15	0.20[.008]	03024	1-192039-9
OBSOLETE	B	[.034]	[.20]	12	4.0[.157]	4	9	0.20[.008]	03017	1-192039-8
OBSOLETE	B	[.034]	[.20]	12	4.0[.157]	3-2	9	0.20[.008]	03016	1-192039-7
	B	[.034]	[.20]	12	4.0[.157]	UNPL	9	0.20[.008]	03071	1-192039-6
					--	--	--	--	03015	1-192039-5
19	B	[.032]	[.20]	12	4.0[.157]	3-2	9	0.15[.006]	03014	1-192039-4
	B	[.032]	[.20]	12	4.0[.157]	4	9	0.15[.006]	03128	1-192039-3
	B	[.032]	[.20]	12	4.0[.157]	UNPL	9	0.15[.006]	03073	1-192039-2
OBSOLETE	B	[.020]	[.20]	13	4.0[.157]	UNPL	9	0.12[.005]	03091	1-192039-1
	14 C	[.038]		12	--	3-2	--	0.20[.008]	03115	1-192039-0
18	NOT AVAILABLE			12	--	--	--	--	--	192039-9
19	14 C	[.038]		12	--	1-2	--	0.20[.008]	03116	192039-8
OBSOLETE	14 C	[.038]		12	--	UNPL	--	0.20[.008]	03078	192039-7
OBSOLETE	14 C	[.034]		12	--	3-2	--	0.15[.006]	03003	192039-6
	14 C	[.034]		12	--	1-2	--	0.15[.006]	03094	192039-5
18	14 C	[.034]		12	--	UNPL	--	0.15[.006]	03057	192039-4
19	14 C	[.020]		13	--	UNPL	--	0.12[.005]	03138	192039-3
OBSOLETE					--	--	--	--	03079	192039-2
18	NOT AVAILABLE			--	--	--	--	--	03067	192039-1

1 FINISH: SILVER PLATE 200uIN MIN THICK.
2 FINISH: NICKEL PLATE 40uIN MIN THICK.
3 FINISH: GOLD PLATE 10uIN MIN THICK.
4 FINISH: NICKEL PLATE 50uIN MIN THICK.
5 FINISH: NICKEL PLATE 100uIN MIN THICK.
6 NOT USED.
7 NOT USED.
8 NOT USED.
9 NOT USED.
10 NOT USED.
11 PLATING NOTES ARE TO BE INTERPRETED AS FOLLOWS, 6-8 AS 6 OVER 8.
12 MATERIAL: CDA172, BeCu.
13 MATERIAL: STAINLESS STEEL.

14 PRODUCT IS SOLD BY THE FOOT.

15 FINISH: PREPLATED SILVER 200 uIN MIN, OVER NICKEL .040 uIN MIN.

16 REELED PRODUCT.

17 PRELIMINARY PART NUMBER.

18 OBSOLETE PART NUMBER.

19 OBSOLETEPARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± .02
3 PLC ± .010
4 PLC ± -
ANGLES ± -

MATERIAL: SEE TABLE

FINISH: -

DWN RA JAYNE 09-12-91
CHK RA JAYNE 09-12-91
APVD -
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

TE Connectivity

NAME: CONTACT BAND, LAIIIS, MALE

SIZE A2 | CAGE CODE 00779 | DRAWING NO C-192039 | RESTRICTED TO -

CUSTOMER DRAWING | SCALE NTS | SHEET 1 OF 2 | REV N

192039

1471-9 (1/15)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION – , – .
© COPYRIGHT – By – ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	–	SEE SHEET 1	–	–	–

19 OBSOLETE	B	[.038]	[.46]	12	12.7[.500]	3–2	34	0.20[.008]	--	--	5–192039–9
16 OBSOLETE	C	[.034]	--	12	--	15	--	.006	--	--	5–192039–8
	B	[.036]	[.25]	12	6.0[.236]	UNPL	15	.008	--	--	5–192039–7
	B	[.036]	[.33]	12	9.52[.375]	UNPL	24	.008	--	--	5–192039–6
	B	[.032]	[.58]	12	14.22[.560]	UNPL	43	.006	--	--	5–192039–5
	B	[.033]	[.20]	12	4.0[.157]	5	9	0.20[.008]	--	--	5–192039–4
	B			12	6.0[.236]	5	16	0.20[.008]	--	--	5–192039–3
	SUPERSEDED BY 2–192039–0				--	--	--	--	--	--	5–192039–2
18	B	[.036]	[1.71]	12	44.78[1.763]	3–2	130	0.15[.006]	--	--	5–192039–1
19 OBSOLETE	B	[.034]	[3.50]	12	98.55[3.880]	UNPL	92	0.15[.006]	03126	--	5–192039–0
18	NOT AVAILABLE			--	--	--	--	--	03084	--	4–192039–9
19 OBSOLETE	B	[.036]	[1.91]	12	50.8[2.000]	UNPL	145	0.20[.008]	03096	--	4–192039–8
	B	[.036]	[1.71]	12	44.78[1.763]	1–2	130	0.15[.006]	03125	--	4–192039–7
	B	[.036]	[1.71]	12	44.78[1.763]	UNPL	130	0.15[.006]	03145	--	4–192039–6
	STYLE	LH	FREE DIA	MATL (NOTE)	MATING ϕ REF	PLATING	NUM LOUV	MAT'L THK	REF		PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± –
2 PLC ± .02
3 PLC ± .010
4 PLC ± –
ANGLES ± –

MATERIAL: SEE TABLE

FINISH: SEE TABLE

DWN RA JAYNE 11–04–91
CHK RA JAYNE 11–04–91
APVD –
PRODUCT SPEC –
APPLICATION SPEC –
WEIGHT –

TE Connectivity

NAME: CONTACT BAND, LAIIIS, MALE

SIZE A2 | CAGE CODE 00779 | DRAWING NO C–192039 | RESTRICTED TO –

CUSTOMER DRAWING | SCALE NTS | SHEET 2 OF 2 | REV N

192039

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

2-192039-7